

DISH

Responsive HTML/CSS Template

Created: 5/21/2013

latest Update: 5/21/2013

By: createIT

<http://themeforest.net/user/createit-pl/portfolio> (<http://themeforest.net/user/createit-pl/portfolio>)

Email: support@createit.pl (<mailto:support@createit.pl>)

Thank you for purchasing this theme. If you have any questions that are beyond the scope of this help file, please feel free to email via the user page contact form on this page.

<http://themeforest.net/user/createit-pl> (<http://themeforest.net/user/createit-pl>) Thanks so much!

HTML Structure

This theme is built upon bootstrap framework and is fully responsive. It adapts to window resolution and looks good on all devices including ipad and iphone.

See for yourself (resize your browser).

If you would like to read more
about bootstrap framework click here :

[Bootstrap Documentation](http://twitter.github.com/bootstrap/)
(<http://twitter.github.com/bootstrap/>)

Table of Contents

Start **Main menu and Site Logo**

HTML Structure

Main menu is fix to the top of the viewport and include support for a site logo and dropdown menu.

CSS Files & Structure

Bootstrap implements responsive menu - for example: on ipad and iphone it will be shown after click (resize your browser and see yourself).

JavaScript add new logo you have to replace logo.png with your image.

Typography

PSD Files


Contact/Table Form

Twitter settings

Sources & Credits

```
1 <div class="navbar">
2   <div class="navbar-inner">
3
4     <button type="button" class="btn btn-navbar" data-toggle="collapse" data-target=".nav-collapse">
5       <span class="icon-bar"></span>
6       <span class="icon-bar"></span>
7       <span class="icon-bar"></span>
8     </button>
9
10    <a class="brand" href="#">Dish</a>
11
12    <div class="nav-collapse collapse">
13      <ul class="nav pull-right">
14        <li class="active"><a href="#">Home</a></li>
15        <li><a href="#">Pages</a></li>
16        <li class="dropdown">
17          <a href="#" class="dropdown-toggle" data-toggle="dropdown">Features</a>
18          <ul class="dropdown-menu">
19            <li><a href="#">Sub menu 1</a></li>
20            <li><a href="#">Sub menu 2</a></li>
21            <li><a href="#">Sub menu 3</a></li>
22            <li><a href="#">Sub menu 4</a></li>
23          </ul>
24        </li>
25        <li><a href="#">Blog</a></li>
26        <li><a href="#">Gallery</a></li>
27        <li><a href="#">Shortcodes</a></li>
28        <li><a href="#">Contact</a></li>
29      </ul>
30    </div>
31  </div>
32 </div>
```

Copyright createIT
made with the Documenter v1.6
(<http://rxal.li/documenter>)



Boxed and Fullwidth Layout

By default page is fullwidth. You can also turn on "boxed" layout. Just add "boxed" class to body. Second class will set proper background pattern. For example classes "boxed pat1" set first background pattern.

Pattern List :



HTML markup:

```
1 <body class="boxed pat1">
2 <body class="boxed pat2">
3 <body class="boxed pat3">
4 <body class="boxed pat4">
5 (..)
6 <body class="boxed pat12">
```



Grid System and Single row structure

The default Bootstrap grid system utilizes 12 columns. It's responsive grid and adapts to viewport. Below 767px viewports, the columns become fluid and stack vertically. The fluid grid system uses percents instead of pixels for column widths. Each row always include 12 columns (for example span8+span4 = span12).
Bootstrap documentation: [here \(http://twitter.github.com/bootstrap/scaffolding.html\)](http://twitter.github.com/bootstrap/scaffolding.html)

Basic fluid grid HTML:

```
1 <div class="row-fluid">
2   <div class="span4">
3     <div class="row-fluid">
4       <div class="span6"></div>
5       <div class="span6"></div>
6     </div>
7   </div>
8   <div class="span8"></div>
9 </div>
```

Color variants

There are 5 alternative color variations :

- style-green.css
- style-brown.css
- style-pink-blue.css
- style-steel.css
- style-orange.css

Only difference between color variations is CSS file. Please include only one style, for example :

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>DISH-home-brown</title>
5
6   <link rel="stylesheet" href="css/style-brown.css">
7
8 </head>
9 <body>
10  (...)
11 </body>
12 </html>
```



style-green.css

331 W 4th St, New York, NY, USA Phone: +1 212-242-9502

dish.
the restaurant template

HOME PAGES FEATURES BLOG GALLERY SHORTCODES CONTACT

**New, fresh, delicious
& with only 120k/cal**

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vestibulum tortor quam, feugiat vitae, ultricies eget.

[Read More](#)

Its strictly forbidden to have a peak into the kitchen. But your welcome!

[Book a table](#)

style-brown.css

331 W 4th St, New York, NY, USA Phone: +1 212-242-9502

dish.
the restaurant template

HOME PAGES FEATURES BLOG GALLERY SHORTCODES CONTACT

**New, fresh, delicious
& with only 120k/cal**

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vestibulum tortor quam, feugiat vitae, ultricies eget.

[Read More](#)

Its strictly forbidden to have a peak into the kitchen. But your welcome!

[Book a table](#)

style-pink-blue.css

331 W 4th St, New York, NY, USA Phone: +1 212-242-9502

dish.
the restaurant template

HOME PAGES FEATURES BLOG GALLERY SHORTCODES CONTACT

**New, fresh, delicious
& with only 120k/cal**

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vestibulum tortor quam, feugiat vitae, ultricies eget.

[Read More](#)

Its strictly forbidden to have a peak into the kitchen. But your welcome!

[Book a table](#)

style-steel.css

New, fresh, delicious
& with only 120k/cal

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vestibulum tortor quam, feugiat vitae, ultricies eget.

Read More



Its strictly forbidden to have a peak into the kitchen. But your welcome!

Book a
table

style-orange.css

Components

Menu of the day

You can present Special Menu for each day of the week. We use Bootstrap Tabs to implement this component. More info about Bootstrap Tabs : [here](http://twitter.github.io/bootstrap/javascript.html#tabs)

HTML markup:

```

1 <!-- tabs navigation -->
2 <ul class="nav nav-tabs" id="menu-of-the-day">
3 <li><a href="#tab-monday" data-toggle="tab">Monday</a></li>
4 <li><a href="#tab-tuesday" data-toggle="tab">Tuesday</a></li>
5 <li class="active"><a href="#tab-wednesday" data-toggle="tab">Wednesday</a></li>
6 <li><a href="#tab-thursday" data-toggle="tab">Thursday</a></li>
7 <li><a href="#tab-friday" data-toggle="tab">Friday</a></li>
8 <li><a href="#tab-thursday" data-toggle="tab">Saturday</a></li>
9 <li><a href="#tab-friday" data-toggle="tab">Sunday</a></li>
10 </ul>
11
12
13 <!-- tabs items -->
14
15 <div class="tab-content"> <!-- tab-content -->
16
17 <div class="tab-pane id="tab-monday"> <!-- tab -->
18 <div class="row-fluid">
19 <div class="span9">
20 <article>
21 <header>
22 <h4>Starters</h4>
23 <h5>Greek salad with tasty olives</h5>
24 </header>
25 <p class="description">
26 Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vestibulum tortor quam, feugiat vitae,
27 </p>
28 <footer>
29 <p class="price">only 4,99€</p>
30 </footer>
31 </article>
32 </div>
33 <div class="span3">
34 <figure class="rounded">
35 
36 </figure>
37 </div>
38 </div>
39 <div class="row-fluid">
40 <div class="span9">
41 <article>
42 <header>
43 <h4>Lunch</h4>
44 <h5>Fried halibut with mustard sauce</h5>
45 </header>
46 <p class="description">
47 Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vestibulum tortor quam, feugiat vitae,
48 </p>
49 <footer>
50 <p class="price">only 4,99€</p>
51 </footer>
52 </article>
53 </div>
54 <div class="span3">
55 <figure class="rounded">
56 
57 </figure>
58 </div>
59 </div>
60 <div class="row-fluid">
61 <div class="span9">
62 <article>
63 <header>
64 <h4>Dessert</h4>
65 <h5>Creme brullee with cacao powdered figues</h5>
66 </header>
67 <p class="description">
68 Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vestibulum tortor quam, feugiat vitae,

```

```

69     </p>
70     <footer>
71     <p class="price">only 4,99€</p>
72     </footer>
73 </article>
74 </div>
75 <div class="span3">
76   <figure class="rounded">
77     
78   </figure>
79 </div>
80 </div>
81 </div> <!-- //tab -->
82
83 <div class="tab-pane" id="tab-tuesday"> <!-- tab -->
84
85   (..)
86 </div> <!-- //tab -->
87
88 </div> <!-- //tab-content -->

```



Images Styles

It is possible to add style to each image, like shadows or frame. For example:

```

1  <!-- inset shadow style -->
2
3  <figure class="rounded">
4    
5  </figure>
6
7
8  <!-- white frame style -->
9  <figure class="border">
10   
11 </figure>
12
13
14 <!-- image with bottom shadow -->
15 <!-- you have to also specify width of element by using span* class
16     for example span12 is 100%, span4 is 1/3 - like default Bootstrap spans -->
17
18 <div class="span4 blackboard-item">
19   <figure>
20     
21   </figure>
22 </div>

```



Pellentesque habitant



Pellentesque habitant



Malesuada fames



Turpis egestas



Monday

01. Fried Halibut with oyster sauce and rosmarin potaoes
02. Bouilla Baisse with french rui sauce
03. Crema caztalana with soft melting caramel

Tuesday

01. Fried Halibut with oyster sauce and rosmarin potaoes
02. Bouilla Baisse with french rui sauce
03. Crema caztalana with soft melting caramel

Products Carousel

It's product slider with image and description. Implemented using Bootstrap Carousel. More info: [here \(http://twitter.github.io/bootstrap/javascript.html#carousel\)](http://twitter.github.io/bootstrap/javascript.html#carousel)
 You can adjust position of navigation arrows. Simple change data-position value in carousel-control elements. This value is % position from top of slider.
 HTML Markup:

```


1 <div class="carousel slide" id="menu-carousel">
2   <div class="carousel-inner"> <!-- carousel inner -->
3
4     <div class="item active">
5       <div class="row-fluid">
6         <div class="span4 dish-item">
7           <header>
8             <h3 class="text-center">Lunch Menu</h3>
9           </header>
10          <figure class="border">
11            
12          </figure>
13          <article class="text-item text-center">
14            <header>
15              <h3><i class="wheel icon-tablet"></i>Fully Responsive</h3>
16            </header>
17            <p>
18              Pellentesque habitant morbi triique senectus et netus et malesuada es ac turpis egestas ersum labilia porc sablium
19            </p>
20            <a href="#">Read more</a>
21          </article>
22        </div>
23        <div class="span4 dish-item">
24          <header>
25            <h3 class="text-center">Dinner & Dessert Menu</h3>
26          </header>
27          <figure class="border">
28            
29          </figure>
30          <article class="text-item text-center">
31            <header>
32              <h3><i class="wheel icon-tablet"></i>Very tasty design</h3>
33            </header>
34            <p>
35              Pellentesque habitant morbi triique senectus et netus et malesuada es ac turpis egestas ersum labilia porc sablium
36            </p>
37            <a href="#">Read more</a>

```

```

38     </article>
39 </div>
40 <div class="span4 dish-item">
41   <header>
42     <h3 class="text-center">Wine & Beverages</h3>
43   </header>
44   <figure class="border">
45     <!-- you can add ribbon with text to top left image corner by adding this line -->
46     <div class="ribbon special"><span>Special</span></div>
47     
48   </figure>
49   <article class="text-item text-center">
50     <header>
51       <h3><i class="wheel icon-tablet"></i>Cool auto slider</h3>
52     </header>
53     <p>
54       Pellentesque habitant morbi triique senectus et netus et malesuada es ac turpis egestas ersum labilia porc sablium
55     </p>
56     <a href="#">Read more</a>
57   </article>
58 </div>
59 </div>
60 </div>
61
62 <div class="item">
63   (...)
64 </div>
65 <!-- //item -->
66 </div>
67 <ul class="carousel-nav">
68   <li><a class="carousel-control left" href="#menu-carousel" data-position="37" data-slide="prev"><i class="icon-angle-left"></i></a></li>
69   <li><a class="carousel-control right" href="#menu-carousel" data-position="37" data-slide="next"><i class="icon-angle-right"></i></a></li>
70 </ul>
71 </div>

```



Icons

Font Awesome are included. Icon list is at 10_icons.html page.

You can change icons by changing class for i element, for example :

```

1 <i class="wheel icon-tablet"></i>
2 <i class="wheel icon-briefcase"></i>
3 <i class="wheel icon-circle"></i>

```

Testimonials

It's testimonial slider. HTML markup :

```

1 <div class="carousel slide" id="customers-carousel">
2   <div class="carousel-inner">
3
4     <div class="item active">
5       <figure class="quote">
6         <blockquote>
7           Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vestibulum tortor quam, feugiat vitae, u
8         </blockquote>
9         
10        <figcaption>
11          <strong>Jonathan Cramer,</strong> Cramer & Co.
12        </figcaption>
13      </figure>
14    </div>
15    <div class="item">
16      (...)
17    </div>
18  </div>
19
20  <ul class="carousel-nav">
21    <li><a class="carousel-control right" href="#customers-carousel" data-slide="next"><i class="icon-angle-right"></i></a></li>
22  </ul>
23 </div>

```


What our customers say

l fames ac turpis
sit amet, ante.
ritae est. Mauris
retra. Vestibulum
nean fermentum,
us lacus enim ac

[Read more](#)

Pellentesque habitant morbi tristique
senectus et netus et malesuada fames ac
turpis egestas. Vestibulum tortor quam,
feugiat vitae, ultricies eget, tempor sit
amet, ante.













Jonathan Cramer, Cramer & Co.

Menucard & Gallery

Here you can present all products separate in categories. It's implemented using Bootstrap Tabs. Menucard and Gallery have similar structure:

Menucard : HTML markup:

```
1 <section id="menucard">
2
3   <div class="filter">
4     <ul id="menucard-tabs">
5       <li class="active"><a href="#tab-breakfast" data-toggle="tab">Breakfast</a></li>
6       <li><a href="#tab-lunch" data-toggle="tab">Lunch</a></li>
7       <li><a href="#tab-dinner" data-toggle="tab">Dinner & Desserts</a></li>
8       <li><a href="#tab-wine" data-toggle="tab">Wine & Beverages</a></li>
9     </ul>
10  </div>
11
12
13  <div class="tab-content">
14    <div class="tab-pane active" id="tab-breakfast">
15
16      <div class="row-fluid"> <!-- menucards -->
17        <div class="span6">
18          <article class="menucard">
19            <header>
20              <h3>Appetizers for breakfast</h3>
21            </header>
22            <ul>
23              <li>
24                <div class="image">
25                  <figure class="rounded">
26                    
27                  </figure>
28                </div>
29                <div class="data">
30                  <h4>Appetizer No. 1</h4>
31
32                  <p>
33                    Pellentesque habitant morbi tristique senectus et netus et male.
34                  </p>
35                  <span class="price">7.99$</span>
36                </div>
37              </li>
38              <li>
39                <div class="image">
40                  <figure class="rounded">
41                    
42                  </figure>
43                </div>
44                <div class="data">
45                  <h4>Appetizer No. 1</h4>
46
47                  <p>
48                    Pellentesque habitant morbi tristique senectus et netus et male.
49                  </p>
50                  <span class="price">7.99$</span>
51                </div>
52              </li>
53              <li>
54                <div class="image">
55                  <figure class="rounded">
56                    
57                  </figure>
58                </div>
59                <div class="data">
60                  <h4>Appetizer No. 1</h4>
61
62                  <p>
63                    Pellentesque habitant morbi tristique senectus et netus et male.
64                  </p>
65                  <span class="price">7.99$</span>
66                </div>
67              </li>
68            </ul>
69          </article>
70        </div>
71        <div class="span6">
72          <article class="menucard">
73            <header>
74              <h3>Salad</h3>
75            </header>
76            (...)
77          </article>
78        </div>
79      </div>
80    </div>
81    <!-- //menucards -->
82  </div>
83  <div class="tab-pane" id="tab-lunch">
84    (...)
85  </div>
86 </div>
87
```

Breakfast	Lunch	Dinner & Desserts	Wine & Beverages
APPETIZERS - DINNER		SALAD	
	Appetizer No. 1 Pelentesque habitant morbi tristique senectus et netus et male. 7.99\$		Salad No. 1 Pelentesque habitant morbi tristique senectus et netus et male. 7.99\$
	Appetizer No. 1 Pelentesque habitant morbi tristique senectus et netus et male. 7.99\$		Salad No. 1 Pelentesque habitant morbi tristique senectus et netus et male. 7.99\$
	Appetizer No. 1 Pelentesque habitant morbi tristique senectus et netus et male. 7.99\$		Salad No. 1 Pelentesque habitant morbi tristique senectus et netus et male. 7.99\$
MEAT		FISH	
	Meat No. 1 Pelentesque habitant morbi tristique senectus et netus et male. 7.99\$		Fish No. 1 Pelentesque habitant morbi tristique senectus et netus et male. 7.99\$
	Meat No. 1 Pelentesque habitant morbi tristique senectus et netus et male. 7.99\$		Fish No. 1 Pelentesque habitant morbi tristique senectus et netus et male. 7.99\$

Gallery : HTML markup:


```

1 <div class="filter separator">
2   <ul id="gallery-tabs">
3     <li class="active"><a href="#tab-food" data-toggle="tab">Food</a></li>
4     <li><a href="#tab-people" data-toggle="tab">People</a></li>
5     <li><a href="#tab-events" data-toggle="tab">Events</a></li>
6     <li><a href="#tab-kitchen" data-toggle="tab">Kitchen life</a></li>
7   </ul>
8 </div>
9
10 <div class="gallery">
11
12   <div class="tab-content">
13     <div class="tab-pane active" id="tab-food">
14       <ul class="row-fluid media-group">
15         <li class="span4">
16           <figure class="border"></figure>
17         </li>
18         <li class="span4">
19           <figure class="border"></figure>
20         </li>
21         <li class="span4">
22           <figure class="border"></figure>
23         </li>
24       </ul>
25       <ul class="row-fluid media-group">
26         (...)
27       </ul>
28       <ul class="row-fluid media-group">
29         (...)
30       </ul>
31     </div>
32     <div class="tab-pane" id="tab-people">
33       (...)
34     </div>
35   </div>
36 </div>
37 <!-- // gallery -->

```

gallery.

Food **People** Events Kitchen life



CSS Files & Structure

We've included 5 css files (color variations)

- style.css (green variations)
- style-brown.css
- style-pink-blue.css
- style-steel.css
- style-orange.css

Please attach only one file (with chosen color variant).
Each CSS file include:

1. Bootstrap CSS Framework v. 2.3.1.
2. General Styles
 - Icons Awesome
 - Font Face
 - Bootstrap Select
 - Typography
 - Images style
 - Buttons
 - Pagination
 - Sliders
 - Main Menu
 - Special Headers
 - Testimonials
 - Tabs
 - Featured
 - Latest Blog Posts
 - Recommendations
 - Weekly Specials
 - Menucard
 - Blog Styles
 - Forms
 - Prefooter
 - Footer
 - media queries, adjustments
 - @media (min-width: 768px) and (max-width: 979px) {}
 - @media (max-width: 767px) {}
 - @media (max-width: 500px) {}
 - @media (max-width: 340px) {}

If you want to modify or add new styles please find this lines in **style.css** :

```
/** START EDIT HERE **/
```

Below you can add your code.

Javascript

All javascripts are placed in folder /js. In main.js file we implement all functions calls.

This theme uses following Javascript files:

1. Bootstrap v2.2.2. framework (powerful front-end framework for faster and easier web development)
2. jQuery 1.9.1 (A fast javascript library that simplifies how to traverse HTML documents, handle events, perform animations.)
3. Pretty Photo 3.1.5
4. Google Map API

Google Map

We use Google Map Api to display map.

Note: these 2 js files have to be included:

```
1 <script type="text/javascript" src="http://maps.googleapis.com/maps/api/js?sensor=false (http://maps.googleapis.com/maps/api/js?sensor=false)"></script>
2 <script type="text/javascript" src="libs/google-map-config.js"></script>
```

Map configuration you will find in libs/google-map.config.js :

```
1 function initialize() {
2
3     var myLatLng = new google.maps.LatLng(40.73804, -74.003681);
4     var mapOptions = {
5         zoom: 16,
6         center: myLatLng,
7         mapTypeId: google.maps.MapTypeId.ROADMAP,
8         scrollwheel: false
9     }
10    var map = new google.maps.Map(document.getElementById('map-insert'), mapOptions);
11
12    //var image = 'images/map-marker.png';
```

```

13
14     var beachMarker = new google.maps.Marker({
15         position: myLatLng,
16         map: map
17         //icon: image
18     });
19
20
21     google.maps.event.addDomListener(window, 'resize', function() {
22         map.setCenter(myLatLng);
23     });
24
25 }
26
27 $(window).load(function(){
28     initialize()
29 });


```

This is HTML markup we use:

```

1 <div class="google-map">
2 <figure class="rounded span12" id="map-insert"></figure>
3 </div>

```



Pretty Photo

It's a jQuery lightbox clone. It support images and videos.

You can create various galleries by changing data-rel="prettyPhoto[featured-dishes]" where [featured-dishes] is gallery name.

Note: prettyphoto css and js files have to be included:

```

1 <link rel="stylesheet" type="text/css" href="libs/prettyphoto/css/prettyphoto.css" />
2 <script type="text/javascript" src="libs/prettyphoto/js/jquery.prettyphoto.min.js"></script>

```

and js:

```

1 <script>
2 $(document).ready(function(){
3     $("a[data-rel^='prettyPhoto']").prettyPhoto({hook: 'data-rel'});
4 });
5 </script>


```

HTML markup:

```

1 <!-- open video in prettyphoto -->
2 <a href="http://www.youtube.com/watch?v=P_OvaDA7W6s&width=800&height=600&autoplay=1 (http://www.youtube.com/watch?v=P_OvaDA7W6s&width=800&height=600
3
4 <!-- open image in prettyphoto -->
5 <a href="images/img3.jpg" data-rel="prettyPhoto[featured-dishes]" class="media-link"></a>

```




Booking a table

It's booking a table form. By default is hidden and will appear after click. To style select dropdown we use bootstrap-select plugin. HTML Markup:

```
1 <div class="book-table">
2 <form>
3 <fieldset>
4 <div class="row-fluid">
5 <div class="span10">
6 <div class="row-fluid">
7 <div class="span2">
8 <label for="book-name">Name</label>
9 <input type="text" value="" class="input-text" id="book-name">
10 </div>
11 <div class="span2">
12 <label for="book-email">E-mail</label>
13 <input type="text" value="" class="input-text" id="book-email">
14 </div>
15 <div class="span2">
16 <label for="book-phone">Phone</label>
17 <input type="text" value="" class="input-text" id="book-phone">
18 </div>
19 <div class="span2">
20 <label for="book-guests">Guests</label>
21 <input type="text" value="" class="input-text" id="book-guests">
22 </div>
23 <div class="span2">
24 <label for="book-date">Date</label>
25 <input type="text" value="" class="input-text" id="book-date">
26 </div>
27 <div class="span2">
28 <label for="book-time">Time</label>
29 <select name="" id="book-time"><option>7:00 AM</option><option selected="selected">8:00 AM</option><option>9:00 AM</option></select>
30 </div>
31 </div>
32 </div>
33 <div class="span2">
34 <input type="submit" value="Place booking" class="btn btn-primary input-submit">
35 </div>
36 </div>
37 </fieldset>
38 </form>
39 <div class="separator"></div>
40 <a href="#" class="btn-book-table">Book a<br>table</a>
```

and js:

```
1 $(document).ready(function(){
2
3   $('select').selectpicker();
4
5   $(".btn-book-table").click(function() {
6     $('#intro > .book-table').slideToggle(function(){
7       $(".btn-book-table").html(
8         $(this).is(":visible") ? "X<br>close" : "Book a<br>table"
9       );
10    });
11    return false;
12  });
13 });
```



SLIDERS

Main slider

It's slider with image, description and link. It's implemented using default bootstrap carousel slider. You can turn on auto slideshow by adding this code, where interval is time in ms when slide will change (in custom.js) :

```
1 $('#main-carousel.carousel').carousel({
2   interval: 2000
3 });
```

HTML markup:

```
1 <div class="slider"> <!-- slider -->
2 <div class="carousel slide" id="main-carousel">
3 <div class="carousel-inner">
4 <div class="item active"> <!-- item -->
5
6 <figure>
7 
```

```


8     </figure>
9
10    <article class="span5">
11      <header>
12        <h2>New, fresh, delicious<br>& with only 120k/cal</h2>
13      </header>
14      <p>
15        Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vestibulum tortor quam, feugiat vitae
16      </p>
17      <a href="#" class="btn btn-primary">Read More</a>
18    </article>
19
20    </div> <!-- //item -->
21    <div class="item"> <!-- item -->
22      (..)
23    </div> <!-- //item -->
24
25  </div>
26
27  <div class="carousel-nav pull-right">
28    <a href="#main-carousel" class="carousel-control-left" data-slide="prev"><i class="icon-angle-left"></i></a>
29    <a href="#main-carousel" class="carousel-control-right" data-slide="next"><i class="icon-angle-right"></i></a>
30  </div>
31
32
33 </div>
34 </div> <!-- //slider -->

```



Featured Food

It's product slider with ability to show large image in prettyphoto popup window.



```

1 <header class="tutor carousel-nav">
2   <h2>Featured Food <a class="carousel-control prev" href="#featured2-carousel" data-slide="prev"><i class="icon-angle-left"></i></a><a class="car
3 </header>
4
5 <div class="featured"> <!-- featured component -->
6

```

```

7 | <div class="carousel slide" id="featured2-carousel">
8 |   <div class="carousel-inner">
9 |     <div class="item active">
10 |       <div class="row-fluid">
11 |
12 |         <div class="span4 big">
13 |           <article class="item-featured">
14 |             <div class="image">
15 |               <figure class="rounded">
16 |                 
17 |               </figure>
18 |               <ul class="onhover">
19 |                 <li><a href="#" class="media-link double"><i class="icon-link"></i></a></li>
20 |                 <li><a href="images/img3.jpg" data-rel="prettyPhoto[featured-food]" class="media-link double"><i class="icon-fullscreen"></i></a>
21 |               </ul>
22 |             </div>
23 |             <header>
24 |               <h3>Fryed Halibut</h3>
25 |               <p>
26 |                 Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis serab egestas vestibulum tortor quam.
27 |               </p>
28 |             </header>
29 |           </article>
30 |         </div>
31 |         <div class="span4 big">
32 |           (...)
33 |         </div>
34 |         <div class="span4 big">
35 |           (...)
36 |         </div>
37 |
38 |       </div>
39 |     </div>
40 |   <div class="item">
41 |     (...)
42 |   </div>
43 | </div>
44 | </div>
45 | </div>

```

Typography

In this theme we use **Helvetica**, **Arial** or **sans-serif** as default font.

Header and special text use "ClassicRoundMedium".

This is font-face declaration placed in style.css file:

```

1 | @font-face {
2 |   font-family: 'ClassicRoundMedium';
3 |   src: url('classicround-medium-webfont.eot');
4 |   src: url('classicround-medium-webfont.eot?iefix') format('embedded-opentype'),
5 |         url('classicround-medium-webfont.woff') format('woff'),
6 |         url('classicround-medium-webfont.ttf') format('truetype'),
7 |         url('classicround-medium-webfont.svg#classic_roundmedium') format('svg');
8 |   font-weight: normal;
9 |   font-style: normal;
10 | }

```

PSD Files

There are 15 PSD files included in the project.

- 01_home.psd
- 02_aboutus.psd
- 03_menucard.psd
- 04_gallerie.psd
- 05_blog.psd
- 06_single.psd
- 07_contact.psd
- 08_bookatable.psd
- 09_all sections.psd
- home_02.psd
- home_03.psd
- home_04.psd
- home_05.psd
- home_06.psd
- home_07.psd

Each PSD file is of course layered, layers are grouped into directories. If you'd like to change anything in the page layout, please put jpg/png image in HTML/img directory.

Contact Form

Template comes with ready to use Contact Form and Book a Table Form.

Before you start using it, please make sure your server:

- uses **PHP 5.2+**
- your web server (like Apache) is configured to listen on directory **form**

Configuration

File `js/contact-form.js` contains javascript responsible for validating and sending messages. You can customize it's behaviour by setting:

- **showErrors** - should form display validation error messages? (default: true)
- **sendingMessage** - once submit button is clicked, it's text will be changed to this value (default: Sending...)
- **debug** - displays debug messages when problems occur. Please make sure that also in `send.php $debug = true`.

Inside **form** directory you will find:

- **config.php** - Mail configuration which **MUST** be setup up before sending emails, please make sure that:
 - hostname, username and password are properly entered
 - in case of problems in sending messages, use **\$debug = true** variable to view any email errors
- **main.html** - this template will be used to render email message. Please note that special placeholders are available in this file surrounded with `{XXX}` like `{name}`. This placeholders will be substituted with real content received from contact form.
- **table.html** - similar to `main.html` template but used for "Book a Table" Form
- **send.php** - this is where mail is actually being send for contact form
- **table.php** - this is where mail is actually being send for book a table

Please make sure that **debug variables are set to false on production!**

Twitter settings

New Twitter API requires authentication to display tweets from your account.

To make Twitter Feed work you need to create the 'application'

and generate 4 special keys for your twitter account via <https://dev.twitter.com/apps> (<https://dev.twitter.com/apps>):

- Consumer key (key)
- Consumer secret (secret)
- Access token (token)
- Access token secret (token_secret)

Video tutorial : <http://vimeo.com/60891535> (<http://vimeo.com/60891535>)

All configuration is placed in `twitter/config.php`

here you have to set 4 generated keys and twitter account username:

```

1  $config = array(
2      'username' => "XXX", //username
3      'limit' => 3, //how many tweets we would like to display?
4      'with_replies' => true, //show replies? true or false
5      'oauth_access_token' => 'TOKEN',
6      'oauth_access_token_secret' => 'TOKEN_SECRET',
7      'consumer_key' => 'KEY',
8      'consumer_secret' => 'KEY_SECRET',
9  );

```

Twitter Feed requires web server (like Apache) with PHP.

That's it! Your latest tweets should appear automatically.

All Twitter Feed files :

- plugin file `jquery.tweet.js` (should be included at page)
- plugin call : `jQuery('.tweets').tweet({ ... });`
- `twitter` directory uploaded
- `<div class="tweets"></div>` in template (script paste tweets inside div)

Sources & Credits

The following sources and files have been used to build up this theme

- Twitter Bootstrap - <http://twitter.github.com/bootstrap/> (<http://twitter.github.com/bootstrap/>)
- jQuery - <http://www.jquery.com> (<http://www.jquery.com>)

Once again, thank you so much for purchasing this theme. If you have any questions, feel free to email me via my user page [contact form](http://themeforest.net/user/createit-pl) (<http://themeforest.net/user/createit-pl>).

