

# Daycare

## Responsive HTML/CSS Template

---

Created: May 15, 2014

latest Update: May 15, 2014

By: ThemePlayers

Email: [support@themeplayers.net](mailto:support@themeplayers.net) (<mailto:support@themeplayers.net>)

Thank you for purchasing this theme. If you have any questions that are beyond the scope of this help file, please visit [our support forum \(http://createit.support\)](http://createit.support). Thanks so much!

## HTML Structure

This theme is built upon bootstrap framework and is fully responsive. It adapts to window resolution and looks good on all devices including ipad and iphone. See for yourself (resize your browser).

If you would like to read more  
about bootstrap framework click here :

## Table of Contents

Start

[Bootstrap Documentation](#)  
(<http://getbootstrap.com/>)

[HTML Structure](#)

[CSS Files & Structure](#)

[Java Script](#) **Main menu and Site Logo**

**Typography** Main menu is fix to the top of the viewport and include support for a site logo and dropdown menu.

**Contact Form** Bootstrap implements responsive menu - for example: on ipad and iphone it will be shown after click (resize your browser and see yourself).

**Twitter settings**

**Sources & Credits**

```
<nav class="navbar navbar-default yamm" role="navigation">
  <div class="container">
    <div class="sun rotate">
      
    </div>
    <!-- Brand and toggle get grouped for better mobile display -->
    <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="#"> </a>
    </div>
    <!-- Collect the nav links, forms, and other content for toggling -->
    <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
      <ul class="nav navbar-nav navbar-right">
        <li class="dropdown active">
          <a href="index.html" class="dropdown-toggle" data-toggle="dropdown">Home</a>
          <ul class="dropdown-menu">
            <li class="active"><a href="index.html">Home 1</a></li>
            <li><a href="index2.html">Home 2</a></li>
          </ul>
        </li>
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown">About us</a>
          <ul class="dropdown-menu">
            <li><a href="whyus.html">Why Sunny Daycare</a></li>
            <li><a href="history.html">History</a></li>
            <li><a href="staff.html">Our Staff</a></li>
            <li><a href="testimonials.html">Parent's Testimonials</a></li>
            <li class="dropdown-submenu">
              <a href="#">What's happening</a>
              <ul class="dropdown-menu">
                <li><a href="nutritions.html">Health and Nutritions</a></li>
                <li><a href="activities.html">Fitness and activities</a></li>
                <li><a href="gallery.html">Classrooms</a></li>
                <li><a href="#">Special events</a></li>
                <li><a href="blog.html">General News</a></li>
              </ul>
            </li>
          </ul>
        </li>
        <li class="dropdown yamm-fw"><a href="programs.html" data-toggle="dropdown" class="dropdown-toggle">Programs</a>
          <ul class="dropdown-menu">
            <li>
              <div class="yamm-content">
                <h4>Sunny Daycare Programs</h4>
                <div class="table text-center programs">
                  <div class="table-cell">
                    <a href="program.html">
                      <span class="icon">
                        
                      </span>
                      <span class="program-title">
                        <strong>Infant Program<br>
                        10 - 18 months</strong>
                      </span>
                    </a>
                  </div>
                  <div class="table-cell">
                    <a href="program.html">
                      <span class="icon">
                        
                      </span>
                      <span class="program-title">
                        <strong>Toddler Program<br>
                        18 - 30 months</strong>
                      </span>
                    </a>
                  </div>
                  <div class="table-cell">
                    <a href="program.html">
                      <span class="icon">
                        
                      </span>
                      <span class="program-title">
                        <strong>Preschool Program<br>
                        2.5 - 4 years</strong>
                      </span>
                    </a>
                  </div>
                  <div class="table-cell">
                    <a href="program.html">
                      <span class="icon">
                        
                      </span>
                      <span class="program-title">
                        <strong>Summer Camp<br>
                        all ages</strong>
                      </span>
                    </a>
                  </div>
                  <div class="table-cell">
                    <a href="program.html">
                      <span class="icon">
                        
                      </span>
                      <span class="program-title">
                        <strong>Holiday Camp<br>
                        all ages</strong>
                      </span>
                    </a>
                  </div>
                </div>
              </div>
            </li>
          </ul>
        </li>
      </ul>
    </div>
  </div>
```

Copyright ThemePlayers  
made with the [Documenter v1.6](#)  
(<http://rxa.li/documenter>)

```

104         </span>
105     </a>
106 </div>
107 </div>
108 </li>
109 </ul>
110 </li>
111 <li class="dropdown">
112   <a href="activities.html" class="dropdown-toggle" data-toggle="dropdown">Pages</a>
113   <ul class="dropdown-menu">
114     <li><a href="programs.html">Programs</a></li>
115     <li><a href="activities.html">Activities Index</a></li>
116     <li><a href="activity.html">Activity Single</a></li>
117     <li><a href="nutritions.html">Nutritions</a></li>
118     <li><a href="admissions.html">Admissions</a></li>
119   </ul>
120 </li>
121 <li class="dropdown">
122   <a href="gallery.html" class="dropdown-toggle" data-toggle="dropdown">Gallery</a>
123   <ul class="dropdown-menu">
124     <li><a href="gallery.html">Gallery</a></li>
125     <li><a href="gallerysingle.html">Gallery Single</a></li>
126   </ul>
127 </li>
128 <li><a href="blog.html">Blog</a></li>
129 <li><a href="contact.html">Contact</a></li>
130 </ul>
131 </div><!-- /.navbar-collapse -->
132 </div><!-- /.container-fluid -->
133 </nav>
134

```

We are using the Yamm Megamenu extension to allow the creation of big menu dropdowns. Read more about it [here \(http://geedmo.github.io/yamm/\)](http://geedmo.github.io/yamm/)

## Mobile Menu

Mobile menu will display on viewport width < 979px.

## Grid System and Single row structure

The default Bootstrap grid system utilizes 12 columns. It's responsive grid and adapts to viewport. Below 767px viewports, the columns become fluid and stack vertically. The fluid grid system uses percents instead of pixels for column widths. Each row always include 12 columns (for example col-md-8 + col-md-4 = col-md-12).

Bootstrap documentation: [here \(http://getbootstrap.com/\)](http://getbootstrap.com/)

Basic fluid grid HTML:

```

1 <div class="row">
2   <div class="col-md-4">
3     <div class="row">
4       <div class="col-md-6"></div>
5       <div class="col-md-6"></div>
6     </div>
7   </div>
8   <div class="col-md-8"></div>
9 </div>

```

## Flavours

There are three flavours available with your purchase.

Use the HTML files inside "default", "grass" or "desert" to build your website.

If you change the folder structure make sure you update the file paths inside each HTML file.

## Page structure

```

1 <!DOCTYPE html>
2 <html>
3 <head>
4   [meta_tags]
5   [css]
6 </head>
7 <body class="withAnimation">
8
9   [viewport for mouse movement effects]
10
11 <header>
12   [navigation]
13 </header>
14
15 <div class="container"></div>
16
17   [full width section]
18
19 <div class="container"></div>
20
21 <div class="container">
22 <div class="row">
23 <div class="col-md-9">
24   <div class="shadow-box">
25     [main content]
26   </div>
27 </div>
28 <div class="col-md-3 sidebar"> <!-- Start of sidebar -->
29   <div class="row">
30     <div class="col-sm-6 col-md-12">
31       <div class="shadow-box daycare-widget">
32         [widget]
33       </div>
34     </div>
35   </div>
36 </div>
37 </div>
38

```

```

39 [socials]
40
41 </div>
42
43 <div class="container"></div>
44
45 [flavour footer images]
46
47 <div class="container"></div>
48
49 [footer]
50
51 [scripts]
52 </body>
53 </html>

```

### Custom lists

You can use every icon available in fontawesome.

Usage should be like this:

```

1 | <i class="fa fa-icon-name"></i>

```

### Icons

We add 300+ Awesome Icons - <http://fontawesome.io/icons/> (<http://fontawesome.io/icons/>)

Class should be as follow: "fa fa-icon-name", for example :

```

1 | <i class="fa fa-user"></i>
2 | <i class="fa fa-book"></i>
3 | <i class="fa fa-comments"></i>









```

## Awesome Icons





<http://fontawesome.github.io/Font-Awesome/>


<ul style="list-style-type: none"> <li> icon-cloud-download</li> <li> icon-cloud-upload</li> <li> icon-lightbulb</li> <li> icon-exchange</li> <li> icon-bell-alt</li> <li> icon-file-alt</li> <li> icon-beer</li> <li> icon-coffee</li> <li> icon-food</li> <li> icon-fighter-jet</li> </ul>	<ul style="list-style-type: none"> <li> icon-user-md</li> <li> icon-stethoscope</li> <li> icon-suitcase</li> <li> icon-building</li> <li> icon-hospital</li> <li> icon-ambulance</li> <li> icon-medkit</li> <li> icon-h-sign</li> <li> icon-plus-sign-alt</li> <li> icon-spinner</li> </ul>	<ul style="list-style-type: none"> <li> icon-angle-left</li> <li> icon-angle-right</li> <li> icon-angle-up</li> <li> icon-angle-down</li> <li> icon-double-angle-left</li> <li> icon-double-angle-right</li> <li> icon-double-angle-up</li> <li> icon-double-angle-down</li> <li> icon-circle-blank</li> <li> icon-circle</li> </ul>	<ul style="list-style-type: none"> <li> icon-desktop</li> <li> icon-laptop</li> <li> icon-tablet</li> <li> icon-mobile-phone</li> <li> icon-quote-left</li> <li> icon-quote-right</li> <li> icon-reply</li> <li> icon-github-alt</li> <li> icon-folder-close-alt</li> <li> icon-folder-open-alt</li> </ul>
<ul style="list-style-type: none"> <li> icon-adjust</li> <li> icon-asterisk</li> <li> icon-ban-circle</li> <li> icon-bar-chart</li> <li> icon-barcode</li> <li> icon-beaker</li> <li> icon-beer</li> <li> icon-bell</li> <li> icon-bell-alt</li> <li> icon-bolt</li> <li> icon-book</li> <li> icon-bookmark</li> <li> icon-bookmark-empty</li> <li> icon-briefcase</li> <li> icon-bullhorn</li> <li> icon-calendar</li> <li> icon-camera</li> <li> icon-camera-retro</li> <li> icon-certificate</li> <li> icon-check</li> <li> icon-check-empty</li> <li> icon-circle</li> <li> icon-circle-blank</li> <li> icon-cloud</li> <li> icon-cloud-download</li> <li> icon-cloud-upload</li> <li> icon-coffee</li> <li> icon-cog</li> <li> icon-cogs</li> <li> icon-comment</li> <li> icon-comment-alt</li> <li> icon-comments</li> <li> icon-comments-alt</li> <li> icon-credit-card</li> <li> icon-dashboard</li> <li> icon-desktop</li> </ul>	<ul style="list-style-type: none"> <li> icon-edit</li> <li> icon-envelope</li> <li> icon-envelope-alt</li> <li> icon-exchange</li> <li> icon-exclamation-sign</li> <li> icon-external-link</li> <li> icon-eye-close</li> <li> icon-eye-open</li> <li> icon-facetime-video</li> <li> icon-fighter-jet</li> <li> icon-film</li> <li> icon-filter</li> <li> icon-fire</li> <li> icon-flag</li> <li> icon-folder-close</li> <li> icon-folder-open</li> <li> icon-folder-close-alt</li> <li> icon-folder-open-alt</li> <li> icon-food</li> <li> icon-gift</li> <li> icon-glass</li> <li> icon-globe</li> <li> icon-group</li> <li> icon-hdd</li> <li> icon-headphones</li> <li> icon-heart</li> <li> icon-heart-empty</li> <li> icon-home</li> <li> icon-inbox</li> <li> icon-info-sign</li> <li> icon-key</li> <li> icon-leaf</li> <li> icon-laptop</li> <li> icon-legal</li> <li> icon-lemon</li> <li> icon-lightbulb</li> </ul>	<ul style="list-style-type: none"> <li> icon-magic</li> <li> icon-magnet</li> <li> icon-map-marker</li> <li> icon-minus</li> <li> icon-minus-sign</li> <li> icon-mobile-phone</li> <li> icon-money</li> <li> icon-move</li> <li> icon-music</li> <li> icon-off</li> <li> icon-ok</li> <li> icon-ok-circle</li> <li> icon-ok-sign</li> <li> icon-pencil</li> <li> icon-picture</li> <li> icon-plane</li> <li> icon-plus</li> <li> icon-plus-sign</li> <li> icon-print</li> <li> icon-pushpin</li> <li> icon-qrcode</li> <li> icon-question-sign</li> <li> icon-quote-left</li> <li> icon-quote-right</li> <li> icon-random</li> <li> icon-refresh</li> <li> icon-remove</li> <li> icon-remove-circle</li> <li> icon-remove-sign</li> <li> icon-reorder</li> <li> icon-reply</li> <li> icon-resize-horizontal</li> <li> icon-resize-vertical</li> <li> icon-retweet</li> <li> icon-road</li> <li> icon-rss</li> </ul>	<ul style="list-style-type: none"> <li> icon-share</li> <li> icon-share-alt</li> <li> icon-shopping-cart</li> <li> icon-signal</li> <li> icon-signin</li> <li> icon-signout</li> <li> icon-sitemap</li> <li> icon-sort</li> <li> icon-sort-down</li> <li> icon-sort-up</li> <li> icon-spinner</li> <li> icon-star</li> <li> icon-star-empty</li> <li> icon-star-half</li> <li> icon-tablet</li> <li> icon-tag</li> <li> icon-tags</li> <li> icon-tasks</li> <li> icon-thumbs-down</li> <li> icon-thumbs-up</li> <li> icon-time</li> <li> icon-tint</li> <li> icon-trash</li> <li> icon-trophy</li> <li> icon-truck</li> <li> icon-umbrella</li> <li> icon-upload</li> <li> icon-upload-alt</li> <li> icon-user</li> <li> icon-user-md</li> <li> icon-volume-off</li> <li> icon-volume-down</li> <li> icon-volume-up</li> <li> icon-warning-sign</li> <li> icon-wrench</li> <li> icon-zoom-in</li> </ul>



 icon-download  
 icon-download-alt



 icon-file  
 icon-file-alt  
 icon-cut  
 icon-copy  
 icon-paste  
 icon-save  
 icon-undo  
 icon-repeat

 icon-angle-left  
 icon-angle-right  
 icon-angle-up  
 icon-angle-down  
 icon-arrow-down  
 icon-arrow-left  
 icon-arrow-right  
 icon-arrow-up

 icon-play-circle  
 icon-play  
 icon-pause  
 icon-stop





 icon-phone  
 icon-phone-sign  
 icon-facebook  
 icon-facebook-sign



 icon-ambulance  
 icon-beaker



 icon-lock  
 icon-unlock



 icon-text-height  
 icon-text-width  
 icon-align-left  
 icon-align-center  
 icon-align-right  
 icon-align-justify  
 icon-indent-left  
 icon-indent-right

 icon-caret-down  
 icon-caret-left  
 icon-caret-right  
 icon-caret-up  
 icon-chevron-down  
 icon-chevron-left  
 icon-chevron-right  
 icon-chevron-up









 icon-step-backward  
 icon-fast-backward  
 icon-backward  
 icon-forward




 icon-twitter  
 icon-twitter-sign  
 icon-github  
 icon-github-alt


 icon-h-sign  
 icon-hospital



 icon-screenshot  
 icon-search


 icon-font  
 icon-bold  
 icon-italic  
 icon-strikethrough  
 icon-underline  
 icon-link  
 icon-paper-clip  
 icon-columns

 icon-circle-arrow-down  
 icon-circle-arrow-left  
 icon-circle-arrow-right  
 icon-circle-arrow-up  
 icon-double-angle-left  
 icon-double-angle-right  
 icon-double-angle-up  
 icon-double-angle-down

 icon-fast-forward  
 icon-step-forward  
 icon-eject




 icon-github-sign  
 icon-linkedin  
 icon-linkedin-sign  
 icon-pinterest

 icon-medkit  
 icon-plus-sign-alt



 icon-zoom-out

 icon-table  
 icon-th-large  
 icon-th  
 icon-th-list  
 icon-list  
 icon-list-ol  
 icon-list-ul  
 icon-list-alt

 icon-hand-down  
 icon-hand-left  
 icon-hand-right  
 icon-hand-up  
 icon-circle  
 icon-circle-blank

 icon-fullscreen  
 icon-resize-full  
 icon-resize-small

 icon-pinterest-sign  
 icon-google-plus  
 icon-google-plus-sign  
 icon-sign-blank

 icon-stethoscope  
 icon-user-md

## CSS Files & Structure

Bootstrap CSS Framework v3.1.1

Main style.css includes :

1. Bootstrap
2. Yamm Menu
3. General Styles
  - graphic elements
  - buttons
  - lists
  - alerts
  - navbar
  - typography
  - breadcrumbs
  - forms
  - pagination
  - general page styles
  - info block
  - twitter
  - image/person box
  - socials
  - accordion
  - tables
  - popover & tooltip
  - tabs
  - flexslider
  - calendar
  - datepicker
  - image gallery
  - magnific popup
  - helpers
  - media queries, adjustments
    - @media (max-width: 1020px) {}
    - @media (max-width: 979px){}



- @media (max-width: 767px) {}
- @media (max-width: 480px) {}

If you want to modify or add new styles please find this lines in **style.css** :

**/\*\* START EDIT HERE \*\*/**

Below you can add your code.

We have 2 different css files for each flavour. style.css has the general styles, the second one contains the color styles for each flavour.

## Javascript

All javascripts are placed in folder /js. In main.js file we implement all functions calls.

This theme uses following Javascript files:

1. Bootstrap v3.1.1 framework (powerful front-end framework for faster and easier web development)
2. jQuery 1.9.1 (A fast javascript library that simplifies how to traverse HTML documents, handle events, perform animations.)
3. FlexSlider
4. FullCalendar (plugin that provides a full-sized, drag & drop calendar)
5. hoverIntent
6. infinitescroll
7. Appear.js (jQuery plugin for tracking element's appearance in browser viewport)
8. fitVids (jQuery plugin for responsive videos)
9. magnific popup
10. parallax.js
11. spritely.js
12. masonry.js
13. packery.js

## Flexslider

Content / Images Slider.

Each parameter can be defined as data attribute :

- data-height="560"
- data-direction="horizontal"
- data-animation="fade"
- data-loop="true"
- data-smooth="false"
- data-slideshow="true"
- data-speed="15000"
- data-animspeed="550"
- data-controls="true"
- data-dircontrols="true"

Elements in slider content can be animated, just add "animated" class to element and data-fx="type-of-animation".

Available animations : <http://daneden.github.io/animate.css/> (<http://daneden.github.io/animate.css/>)

Documentation: [plugin homepage \(http://www.woothemes.com/flexslider/\)](http://www.woothemes.com/flexslider/)

You can use the following attributes to adjust objects inside the slider:

1. data-top
2. data-bottom
3. data-left
4. data-right

This is HTML markup we use:

```

1 <section class="flexslider std-slider" data-height="300" data-direction="horizontal" data-animation="fade" data-loop="true" data-smooth="fa?
2 <div class="container">
3 <ul class="slides">
4 <li>
5 <div class="inner">
6 <div class="object animated absolute" data-left="100px" data-bottom="0px" data-fx="bounceInLeft">
7 
8 </div>
9 <div class="object animated absolute" data-right="150px" data-fx="bounceInDown">
10 
11 </div>
12 <div class="object animated absolute" data-right="140px" data-bottom="40px" data-fx="flipInY">
13 <a href="#">see all contest entries here <i class="fa fa-chevron-right"></i> </a>
14 </div>
15 </div>
16 </li>
17 <li>
18 <div class="inner">
19 <div class="object animated absolute" data-left="100px" data-bottom="-43px" data-fx="bounceInLeft">
20 
21 </div>
22 <div class="object animated absolute" data-right="120px" data-top="50px" data-fx="bounceInDown">
23 
24 </div>
25 <div class="object animated absolute" data-right="310px" data-bottom="90px" data-fx="flipInY">
26 <a href="#">see why <i class="fa fa-chevron-right"></i> </a>
27 </div>
28 </div>
29 </li>

```

```

30     <li>
31         <div class="inner">
32             <div class="object animated absolute" data-left="100px" data-bottom="-43px" data-fx="fadeInUp">
33                 
34             </div>
35             <div class="object animated absolute" data-right="220px" data-top="50px" data-fx="bounceInDown">
36                 
37             </div>
38             <div class="object animated absolute" data-right="210px" data-bottom="60px" data-fx="flipInY">
39                 <a href="#">see this week menu here <i class="fa fa-chevron-right"></i> </a>
40             </div>
41         </div>
42     </li>
43 </ul>
44 </div>
45 </section>

```

and js:

```

1  /* ===== */
2  /* === FLEXSLIDER CONTENT === */
3
4  jQuery(".flexslider.std-slider .object").each(function () {
5      var $this = jQuery(this);
6      if($this.hasClass("absolute")) {
7          $this.css({
8              "top": $this.data("top"),
9              "bottom": $this.data("bottom"),
10             "left": $this.data("left"),
11             "right": $this.data("right")
12         });
13     } else {
14         $this.css({
15             "margin-top": $this.data("top"),
16             "margin-bottom": $this.data("bottom"),
17             "margin-left": $this.data("left"),
18             "margin-right": $this.data("right")
19         });
20     }
21 })
22
23
24
25 /* ===== */
26 /* === FLEXSLIDER WITH ANIMATIONS === */
27
28 if (jQuery(".flexslider.std-slider").length > 0) {
29
30     $('flexslider.std-slider').each(function () {
31         var $this = jQuery(this);
32         $this.find("slides > li .inner").each(function () {
33             var $container = jQuery(this);
34             $container.css('min-height', $this.attr('data-height') + "px");
35         })
36         // initialize
37         $this.find("slides > li").each(function () {
38             var $slide_item = $(this);
39             var bg = validatedata($slide_item.data('bg'), false);
40             if (bg) {
41                 $slide_item.css('background-image', 'url(' + bg + ')');
42             }
43             $slide_item.css('min-height', $this.attr('data-height') + "px");
44
45             // hide slider content due to fade animation
46             // $slide_item.find("inner").hide();
47             /*
48             $slide_item.find("inner [data-fx]").each(function () {
49                 $(this).removeClass("animated");
50             })
51             */
52             $slide_item.find('.inner').fadeOut("slow");
53         })
54
55         var direction = validatedata($this.attr('data-direction'), "horizontal");
56         var animation = validatedata($this.attr('data-animation'), "fade");
57         var loop = validatedata(parseBoolean($this.attr("data-loop")), false);
58         var smooth = validatedata(parseBoolean($this.attr("data-smooth")), false);
59         var slideshow = validatedata(parseBoolean($this.attr("data-slideshow")), false);
60         var speed = validatedata(parseInt($this.attr('data-speed')), 7000);
61         var animspeed = validatedata(parseInt($this.attr("data-animspeed")), 600);
62         var controls = validatedata(parseBoolean($this.attr('data-controls')), false);
63         var dircontrols = validatedata(parseBoolean($this.attr('data-dircontrols')), false);
64
65         $this.flexslider({
66             direction: direction, //String: Select the sliding direction, "horizontal" or "vertical"
67             animation: animation, //String: Select your animation type, "fade" or "slide"
68             animationLoop: loop, //Boolean: Should the animation loop? If false, directionNav will received "disable" clas
69             smoothHeight: smooth, //{NEW} Boolean: Allow height of the slider to animate smoothly in horizontal mode
70             slideshow: slideshow, //Boolean: Animate slider automatically
71             slideshowSpeed: speed, //Integer: Set the speed of the slideshow cycling, in milliseconds
72             animationSpeed: animspeed, //Integer: Set the speed of animations, in milliseconds
73             touch: false,
74
75             // Primary Controls
76             controlNav: controls, //Boolean: Create navigation for paging control of each clide? Note: Leave true for mai
77             directionNav: dircontrols, //Boolean: Create navigation for previous/next navigation? (true/false)
78             manualControls: ".flex-control-nav li",
79
80             pauseOnHover: true, //Boolean: Pause the slideshow when hovering over slider, then resume when no longer hoveri
81             prevText: " ", //String: Set the text for the "previous" directionNav item
82             nextText: " ",
83             useCSS: false,
84
85             // Callback API
86             start: function () {
87                 $this.removeClass("loading-slider");
88
89                 setTimeout(function () {
90                     $this.find("slides > li.flex-active-slide .inner").fadeIn("slow");
91                 }, 650);
92             },
93             before: function () {

```

```

96     $this.find(".slides > li .inner").fadeOut("slow");
97     }, //Callback: function(slider) - Fires asynchronously with each slider animation
98     after: function () {
99         setTimeout(function () {
100             $this.find(".slides > li.flex-active-slide .inner").fadeIn("slow");
101         }, 150);
102     }, //Callback: function(slider) - Fires after each slider animation completes
103     end: function () {
104     }, //Callback: function(slider) - Fires when the slider reaches the last slide (asynchronous)
105     added: function () {
106     }, //NEW! Callback: function(slider) - Fires after a slide is added
107     removed: function () {
108     }, //NEW! Callback: function(slider) - Fires after a slide is removed
109     });
110     });
111     }
112 }

```

## FullCalendar

FullCalendar is a jQuery plugin that provides a full-sized, drag & drop calendar like the one below. It uses AJAX to fetch events on-the-fly for each month and is easily configured to use your own feed format (an extension is provided for Google Calendar). It is visually customizable and exposes hooks for user-triggered events (like clicking or dragging an event). It is open source licensed under an MIT license.

You can check the official documentation here: <http://arshaw.com/fullcalendar/> (<http://arshaw.com/fullcalendar/>)

In order to configure Google Calendar read this documentation: [http://arshaw.com/fullcalendar/docs/google\\_calendar/](http://arshaw.com/fullcalendar/docs/google_calendar/) ([http://arshaw.com/fullcalendar/docs/google\\_calendar/](http://arshaw.com/fullcalendar/docs/google_calendar/))

This is HTML markup we use:

```
1 <div id="calendar" class="calendar"></div>
```

and js:

```

1     jQuery(document).ready(function() {
2     var date = new Date();
3
4     jQuery('#calendar').fullCalendar({
5     header: {
6         left: 'title',
7         right: 'prev, today, next'
8     },
9     defaultView: 'basicDay',
10    buttonText: {
11        prev: '<i class="fa fa-chevron-left"></i>',
12        next: '<i class="fa fa-chevron-right"></i>',
13        today: 'TODAY'
14    },
15    handleWindowResize: true,
16    agendaDay: {
17        allDayText: ''
18    },
19    // for agendaWeek and agendaDay
20    editable: false,
21    // US Holidays
22    events: 'http://www.google.com/calendar/feeds/usa_en%40holiday.calendar.google.com/public/basic (http://www.google.com/calendar/feed
23
24    timeFormat: 'hh:mm - hh:mm) tt', // uppercase H for 24-hour clock
25    eventClick: function(event) {
26        // opens events in a popup window
27        window.open(event.url, 'gcalevent', 'width=700,height=600');
28        return false;
29    }
30    });
31
32 });

```

## Magnific Popup

Magnific Popup is a responsive lightbox & dialog script with focus on performance and providing best experience for user with any device

You can read more about it here: <http://dimsemenov.com/plugins/magnific-popup/> (<http://dimsemenov.com/plugins/magnific-popup/>)

This is HTML markup we use:

```

1 <a class="popup" data-type="image" href="../assets/images/demo-content/gallery/cc.jpg" title="<strong>Lorem ipsum done</strong> Lorem ipsum (?
2 
3 </a>

```

and js:

```

1     /* ===== */
2     /* ==== MAGNIFIC POPUP ==== */
3
4     if(jQuery().magnificPopup){
5     jQuery('.gallery').each(function() { // the containers for all your galleries
6     jQuery(this).magnificPopup({
7     type: 'image',
8     delegate: '.popup',
9     closeOnContentClick: true,
10    closeBtnInside: false,
11    fixedContentPos: true,
12    mainClass: 'mfp-no-margins mfp-with-zoom', // class to remove default margin from left and right side
13    image: {
14        verticalFit: true
15    },
16    zoom: {
17        enabled: true,
18        duration: 300 // don't forget to change the duration also in CSS
19    },
20    gallery: {
21        enabled: true,

```



```

22     navigateByImgClick: true,
23     preload: [0,1] // Will preload 0 - before current, and 1 after the current image
24   },
25   closeBtnInside: true,
26   closeMarkup: '<button title="%title%" class="mfp-close"><i class="fa fa-times"></i></button>',
27   callbacks: {
28
29     buildControls: function() {
30       // re-appends controls inside the main container
31       this.contentContainer.append(this.arrowLeft.add(this.arrowRight));
32     }
33   }
34 };
35 });
36 });
37 });
38 }

```

## Tooltips

It's tooltip from bootstrap. You can add nice tooltip bubble show on link hover. We use this effect with social icons, but you can add tooltip to any link.

This is HTML markup we use:

```

1 <ul class="smallSocials">
2 <li><a href="#" target="_blank" class="icon-phone-sign" data-toggle="tooltip" title="Phone">Phone</a></li>
3 <li><a href="#" target="_blank" class="icon-facebook-sign" data-toggle="tooltip" title="Facebook">Facebook</a></li>
4 <li><a href="#" target="_blank" class="icon-twitter-sign" data-toggle="tooltip" title="Twitter">Twitter</a></li>
5 <li><a href="#" target="_blank" class="icon-github-alt" data-toggle="tooltip" title="GitHub">GitHub</a></li>
6 <li><a href="#" target="_blank" class="icon-linkedin-sign" data-toggle="tooltip" title="LinkedIn">LinkedIn</a></li>
7 <li><a href="#" target="_blank" class="icon-pinterest-sign" data-toggle="tooltip" title="Pinterest">Pinterest</a></li>
8 <li><a href="#" target="_blank" class="icon-google-plus-sign" data-toggle="tooltip" title="Google+">Google+</a></li>
9 <li><a href="#" target="_blank" class="icon-envelope-alt" data-toggle="tooltip" title="E-mail">E-mail</a></li>
10 </ul>

```

and js:

```

1 function tooltipInit() {
2   jQuery("[data-toggle='tooltip']").tooltip();
3 }

```

## Popovers

It's popovers from bootstrap. You can add nice popover bubble show on link hover. We use this effect with menu snacks, but you can add popovers to any link.

You can use any kind of HTML inside data-content attribute

This is HTML markup we use:

```

1 <span data-toggle="popover" data-placement="left" data-title="Pancakes" data-content="<img src='../assets/images/demo-content/pancakes.png' />">
2 <span data-toggle="popover" data-placement="left" data-title="Pancakes" data-content="<img src='../assets/images/demo-content/pancakes.png' />">
3 <span data-toggle="popover" data-placement="left" data-title="Pancakes" data-content="<img src='../assets/images/demo-content/pancakes.png' />">
4 <span data-toggle="popover" data-placement="left" data-title="Pancakes" data-content="<img src='../assets/images/demo-content/pancakes.png' />">

```

and js:

```

1 jQuery("[data-toggle='popover']").popover({ trigger: "hover", html : true});

```

## Other Dependencies

Bellow are the oficial documentation of some of the other plugins we used. You probably won't need to change anything there, but if you want to, take your time to read what can be done.

We use this effect with social icons, but you can add tooltip to any link.

1. <http://spritely.net/> (plugin used to animate the waves in default flavour. You can also use it so make images behave as a gif.)
2. <http://stephband.info/parallax/> (plugin used to animate the clouds on mouse movement)
3. <http://stephband.info/parallax/> (plugin used to animate the clouds on mouse movement)
4. <http://eternicode.github.io/bootstrap-datepicker/> DatePicker used on forms
5. <http://masonry.desandro.com/> (Only used on small devices - tablets mostly - to ajust the sidebar widgets)

## Typography

In this theme we use:

**Arial font**  
**Source Sans Pro font**

# Contact Form / Newsletter

---

Template comes with ready to use:

- Contact Form
- Newsletter Form

All needed files are in /form directory.

Remember to include `<script src="form/js/contact-form.js"></script>` on page.

To **configure** form just edit form/config.php and change e-mails to your own :

```
1 $to = "mail@example.com";
2 $from = "mail@example.com";
```

That's it!

Options (can be changed in HTML):

- **Mail Subject** - just change value in : `<input type="hidden" name="msg_subject" value="Contact Form">`
- **Success Message** - change alert-success div content (at the form bototm)
- **Error Message** - change alert-error div content (at the form bottom)

**How to add more fields to form ?**

Just add another input field,

for example additional phone and fax :

```
1 <input required name="field_[]" type="text" placeholder="Phone 2">
2 <input required name="field_[]" type="text" placeholder="Fax">
```

Contact Form HTML Markup:

```
1 <form action="form/form.php" method="post" class="contactForm ajax-form">
2 <fieldset>
3 <div class="row">
4 <div class="col-md-4">
5 <input required name="field_[]" type="text" placeholder="Name*">
6 </div>
7 <div class="col-md-4">
8 <input required name="email" type="email" placeholder="E-mail*">
9 </div>
10 <div class="col-md-4">
11 <input required name="field_[]" type="text" placeholder="Phone">
12 </div>
13 </div>
14 <div class="row">
15 <div class="col-md-12">
16 <textarea required name="field_[]" placeholder="How can we help you?*"></textarea>
17 <input type="hidden" name="msg_subject" value="Contact Form">
18 <input type="submit" value="Send Message" class="pull-right">
19 </div>
20 </div>
21 </fieldset>
22 <div class="alert alert-success" style="display:none;">
23 Message has been sent successfully!
24 </div>
25 <div class="alert alert-error" style="display:none;">
26 An error occurred, please try again later.
27 </div>
28 </form>
```

Newsletter Form HTML Markup:

```
1 <form action="form/form.php" method="post" class="newsletterForm ajax-form">
2 <fieldset>
3 <input type="text" required name="email" placeholder="Email address ...">
4 <input type="hidden" name="msg_subject" value="Newsletter Form">
5 <input type="submit" value="Sign In">
6 </fieldset>
7 <div class="alert alert-success" style="display:none;">
8 Message has been sent successfully!
9 </div>
10 <div class="alert alert-error" style="display:none;">
11 An error occurred, please try again later.
12 </div>
13 </form>
```

# Twitter Feed

---

This is live twitter feed. This plugin will grab your latest tweets and displayed it on page.

**Configuration:** - just edit twitter/config.php file :

```
1 $config = array(
2 'username' => "XXX", //username
3 'limit' => 3, //how many tweets we would like to display?
4 'with_replies' => true, //show replies? true or false
5 'oauth_access_token' => 'TOKEN',
```

```
6     'oauth_access_token_secret' => 'TOKEN_SECRET',
7     'consumer_key' => 'KEY',
8     'consumer_secret' => 'KEY_SECRET',
9 );
```

### Where can I get these keys, tokens, etc ?

Twitter API requires authentication to display tweets from your account.

To twitter feed work you need to create the 'application'

and generate 4 special keys for your twitter account via <https://dev.twitter.com/apps> (<https://dev.twitter.com/apps>) :

- Consumer key (key)
- Consumer secret (secret)
- Access token (token)
- Access token secret (token\_secret)

Video tutorial : "How to create Twitter App"

<http://vimeo.com/60891535> (<http://vimeo.com/60891535>)

## Sources & Credits

---

The following sources and files have been used to build up this theme

- Twitter Bootstrap - <http://getbootstrap.com/> (<http://getbootstrap.com/>)
- jQuery - <http://www.jquery.com> (<http://www.jquery.com>)
- Magnific Popup - <http://dimsemenov.com/plugins/magnific-popup/> (<http://dimsemenov.com/plugins/magnific-popup/>)
- Flexslider - <http://www.woothemes.com/flexslider/> (<http://www.woothemes.com/flexslider/>)
- jparallax - <http://stephband.info/jparallax/> (<http://stephband.info/jparallax/>)
- Datepicker for bootstrap - <http://eternicode.github.io/bootstrap-datepicker/> (<http://eternicode.github.io/bootstrap-datepicker/>)
- FullCalendar - <http://arshaw.com/fullcalendar/> (<http://arshaw.com/fullcalendar/>)
- Masonry - <http://masonry.desandro.com/> (<http://masonry.desandro.com/>)
- fitVids - <http://fitvidsjs.com/> (<http://fitvidsjs.com/>)
- Packery - <http://packery.metafizzy.co/> (<http://packery.metafizzy.co/>)
- gmap3 - <http://gmap3.net/> (<http://gmap3.net/>)

Once again, thank you so much for purchasing this theme. If you have any questions, feel free to email me via my user page contact form.

