

CONTENTS

Intro
HTML Structure
CSS Files and Structure
JavaScript
Contact Form
Twitter Settings
PSD Files
Sources and Credits

SEPTIMUS SITE TEMPLATE

By *ThemeWoodmen*

Created: Feb 28, 2013. Last Update: Aug 02, 2013

Thank you for purchasing our site template! If you have any questions that are beyond the scope of this help file, please feel free to email via my user page [contact form](#). Thanks so much!

HTML STRUCTURE

This theme is built upon bootstrap framework and is fully responsive. It adapts to window resolution and looks good on all devices including ipad and iphone.
See for yourself (resize your browser).

MAIN MENU AND SITE LOGO

Main menu is fix to the top of the viewport and include support for a site logo and dropdown menu.

Bootstrap implements responsive menu – for example: on ipad and iphone it will be shown after click (resize your browser and see yourself).

```
1 <!-- main menu -->
2 <div class="navbar navbar-static-top">
3   <div class="navbar-inner">
4     <div class="container">
5       <button type="button" class="btn btn-navbar" data-toggle="collapse">
6         <span class="icon-bar"></span>
7         <span class="icon-bar"></span>
8         <span class="icon-bar"></span>
9       </button>
10      <!-- logo -->
11      <a class="brand" href="/">Sep<span class="mcolor">7</span>imus</a>
12
13      <div class="nav-collapse">
14        <ul class="nav pull-right">
15          <li class="active dropdown">
16            <a href="01-septimus-home-slider-1.html" class="dropdown">
17              <ul class="dropdown-menu">
18                <li><a href="01-septimus-home-slider-1.html">Home S1
19                <li><a href="02-septimus-home-slider-2.html">Home S1
20                <li><a href="03-septimus-home-slider-3.html">Home S1
21                <li><a href="20-septimus-home-boxed.html">Home Boxed
22              </ul>
23            </li>
24            <!-- dropdown menu item with 4 subpages -->
25            <li class="dropdown">
26              <a href="04-septimus-about.html" class="dropdown-toggle">
27                <ul class="dropdown-menu">
28                  <li><a href="04-septimus-about.html">About</a></li>
29                  <li><a href="05-septimus-services.html">Services</a>
30                  <li><a href="06-septimus-testimonials.html">Testimon
31                  <li><a href="07-septimus-faq.html">FAQ</a></li>
32                  <li><a href="08-septimus-404.html">404</a></li>
33                </ul>
34              </li>
35              (... )
36            <!-- single menu item -->
37            <li>
38              <a href="16-septimus-contact.html">Contact</a>
39            </li>
40          </ul>
```

```

41         </div>
42     </div>
43 </div>
44 </div>

```

GRID SYSTEM AND SINGLE ROW STRUCTURE

The default Bootstrap grid system utilizes 12 columns. It's responsive grid and adapts to viewport. Below 767px viewports, the columns become fluid and stack vertically. The fluid grid system uses percents instead of pixels for column widths. Each row always include 12 columns (for example span8+span4 = span12).

Bootstrap documentation: [here](#)

Basic fluid grid HTML:

```



1 <div class="row-fluid">
2   <div class="span4">
3     <div class="row-fluid">
4       <div class="span6"></div>
5       <div class="span6"></div>
6     </div>
7   </div>
8 <div class="span8"></div>
9 </div>

```

BOXED LAYOUT

If you want to set boxed layout please add to <body> tag class="boxed".

You can also choose background pattern (add second class to body). For example : to add first pattern create <body class="boxed pat1"> tag.



BUTTONS

Each button link has class .btn, other classes has influence on color, size, padding or icon


```

1 <!-- buttons examples -->
2
3
4 <a href="#" class="btn">Apply</a>
5


```

```
6 <a href="#" class="btn btn-mini">Apply</a>
7 <a href="#" class="btn btn-small">Apply</a>
8 <a href="#" class="btn btn-large">Apply</a>
9 <a href="#" class="btn btn-block">Apply</a>
10 <a href="#" class="btn btn-link">Apply</a>
11 <br><br>
12
13 <a href="#" class="btn">Apply</a>
14 <a href="#" class="btn btn-primary">Apply</a>
15 <a href="#" class="btn btn-info">Apply</a>
16 <a href="#" class="btn btn-success">Apply</a>
17 <a href="#" class="btn btn-warning">Apply</a>
18 <a href="#" class="btn btn-danger">Apply</a>
19 <a href="#" class="btn btn-inverse">Apply</a>
20
21 <br><br>
22 <a href="#" class="btn btn-1">Custom style</a>
23 <a href="#" class="btn btn-2">Custom style</a>
24 <a href="#" class="btn btn-3">Custom style</a>
25 <a href="#" class="btn btn-4">Custom style</a>
26 <a href="#" class="btn btn-5">Custom style</a>
27
28 <br><br>
29 <h4 class="twoLines">halflings</h4>
30
31 <a href="#" class="btn btn-primary halflings chevron-right">Apply <i></i></a>
32 <a href="#" class="btn btn-primary halflings folder-open">Apply <i></i></a>
33 <a href="#" class="btn btn-primary halflings ok">Apply <i></i></a>
34 <a href="#" class="btn btn-primary halflings play">Apply <i></i></a>
35
36 <br><br>
37 <a href="#" class="btn halflings chevron-right">Apply <i></i></a>
38 <a href="#" class="btn halflings folder-open">Apply <i></i></a>
39 <a href="#" class="btn halflings ok">Apply <i></i></a>
40 <a href="#" class="btn halflings play">Apply <i></i></a>
41
42 <br><br>
43 <h4 class="twoLines">glyphicons</h4>
44
45 <a href="#" class="btn glyphicons facebook">Apply <i></i></a>
46 <a href="#" class="btn btn-danger glyphicons quora">Apply <i></i></a>
47 <a href="#" class="btn btn-info glyphicons youtube">Apply <i></i></a>
48 <a href="#" class="btn btn-success glyphicons hospital">Apply <i></i></a>
49 <a href="#" class="btn btn-primary glyphicons link">Apply <i></i></a>
```

BUTTONS EXAMPLE



halfings



glyphicons



HEADERS

To change header format just add special class to h1,h2,h3,h4,h5 or h6 tag.

- huge
- big
- twoLines
- subTitle
- light
- medium
- usual

huge Header

big Header

twoLines Header

subTitle Header

light Header

medium Header

usual Header

LISTS

To change list format just add special classes to `` tag.

"normal"

"normal chevron-right"

"normal arrow-right"

"normal star"


"normal dot"

<ul style="list-style-type: none">✓ Venenatis feugiat est, eget rhoncus enim viverra aliquam	<ul style="list-style-type: none">➤ Venenatis feugiat est, eget rhoncus enim viverra aliquam	<ul style="list-style-type: none">➔ Venenatis feugiat est, eget rhoncus enim viverra aliquam
<ul style="list-style-type: none">✓ Maecenas venenatis rhoncus luctus elit a metus adipiscing	<ul style="list-style-type: none">➤ Maecenas venenatis rhoncus luctus elit a metus adipiscing	<ul style="list-style-type: none">➔ Maecenas venenatis rhoncus luctus elit a metus adipiscing
<ul style="list-style-type: none">✓ Aliquam feugiat libero a est porttitor ultrices quis in dolor	<ul style="list-style-type: none">➤ Aliquam feugiat libero a est porttitor ultrices quis in dolor	<ul style="list-style-type: none">➔ Aliquam feugiat libero a est porttitor ultrices quis in dolor
<ul style="list-style-type: none">✓ Venenatis feugiat est, eget rhoncus enim viverra aliquam	<ul style="list-style-type: none">➤ Venenatis feugiat est, eget rhoncus enim viverra aliquam	<ul style="list-style-type: none">➔ Venenatis feugiat est, eget rhoncus enim viverra aliquam
<ul style="list-style-type: none">✓ Nec posuere sapien ligula pulvinar vel suspendisse potenti	<ul style="list-style-type: none">➤ Nec posuere sapien ligula pulvinar vel suspendisse potenti	<ul style="list-style-type: none">➔ Nec posuere sapien ligula pulvinar vel suspendisse potenti

<ul style="list-style-type: none">★ Venenatis feugiat est, eget rhoncus enim viverra aliquam	<ul style="list-style-type: none">• Venenatis feugiat est, eget rhoncus enim viverra aliquam
<ul style="list-style-type: none">★ Maecenas venenatis rhoncus luctus elit a metus adipiscing	<ul style="list-style-type: none">• Maecenas venenatis rhoncus luctus elit a metus adipiscing
<ul style="list-style-type: none">★ Aliquam feugiat libero a est porttitor ultrices quis in dolor	<ul style="list-style-type: none">• Aliquam feugiat libero a est porttitor ultrices quis in dolor
<ul style="list-style-type: none">★ Venenatis feugiat est, eget rhoncus enim viverra aliquam	<ul style="list-style-type: none">• Venenatis feugiat est, eget rhoncus enim viverra aliquam
<ul style="list-style-type: none">★ Nec posuere sapien ligula pulvinar vel suspendisse potenti	<ul style="list-style-type: none">• Nec posuere sapien ligula pulvinar vel suspendisse potenti

SOCIAL ICONS

We add 35+ social icons. You can choose your favorite.



```


1 <ul class="socialIcons pull-right">
2 <li><a href="#" class="glyphicons facebook" data-toggle="tooltip" title="Fac
3 <li><a href="#" class="glyphicons twitter" data-toggle="tooltip" title="Twit
4 <li><a href="#" class="glyphicons google_plus" data-toggle="tooltip" title="
5 <li><a href="#" class="glyphicons linked_in" data-toggle="tooltip" title="Li
6 <li><a href="#" class="glyphicons pinterest" data-toggle="tooltip" title="Pi
7 <li><a href="#" class="glyphicons flickr" data-toggle="tooltip" title="Flick
8 <li><a href="#" class="glyphicons rss" data-toggle="tooltip" title="RSS"><i>
9 <li><a href="#" class="glyphicons skype" data-toggle="tooltip" title="Skype"
10 <li><a href="#" class="glyphicons tumblr" data-toggle="tooltip" title="Tumbl
11 <li><a href="#" class="glyphicons youtube" data-toggle="tooltip" title="Yout
12 <li><a href="#" class="glyphicons vimeo" data-toggle="tooltip" title="Vimeo"
13 <li><a href="#" class="glyphicons dribbble" data-toggle="tooltip" title="Dri
14 <li><a href="#" class="glyphicons behance" data-toggle="tooltip" title="Beha
15 <li><a href="#" class="glyphicons dropbox" data-toggle="tooltip" title="Drop
16 <li><a href="#" class="glyphicons jolicloud" data-toggle="tooltip" title="Jo
17 <li><a href="#" class="glyphicons yahoo" data-toggle="tooltip" title="Yahoo"
18 <li><a href="#" class="glyphicons blogger" data-toggle="tooltip" title="Nlog
19 <li><a href="#" class="glyphicons picasa" data-toggle="tooltip" title="Picas
20 <li><a href="#" class="glyphicons amazon" data-toggle="tooltip" title="Amazon
21 <li><a href="#" class="glyphicons wordpress" data-toggle="tooltip" title="Wo
22 <li><a href="#" class="glyphicons instapaper" data-toggle="tooltip" title="I
23 <li><a href="#" class="glyphicons evernote" data-toggle="tooltip" title="Eve
24 <li><a href="#" class="glyphicons xing" data-toggle="tooltip" title="Xing"><
25 <li><a href="#" class="glyphicons zootool" data-toggle="tooltip" title="Zoot
26 <li><a href="#" class="glyphicons deviantart" data-toggle="tooltip" title="D
27 <li><a href="#" class="glyphicons read_it_later" data-toggle="tooltip" title
28 <li><a href="#" class="glyphicons forrst" data-toggle="tooltip" title="Forrs
29 <li><a href="#" class="glyphicons pinboard" data-toggle="tooltip" title="Pin
30 <li><a href="#" class="glyphicons github" data-toggle="tooltip" title="Githu
31 <li><a href="#" class="glyphicons skitch" data-toggle="tooltip" title="Skitc
32 <li><a href="#" class="glyphicons foursquare" data-toggle="tooltip" title="F
33 <li><a href="#" class="glyphicons quora" data-toggle="tooltip" title="Quora"
34 <li><a href="#" class="glyphicons badoo" data-toggle="tooltip" title="Badoo"
35 <li><a href="#" class="glyphicons spotify" data-toggle="tooltip" title="Spot
36 <li><a href="#" class="glyphicons stumbleupon" data-toggle="tooltip" title="
37 <li><a href="#" class="glyphicons readability" data-toggle="tooltip" title="
38 <li><a href="#" class="glyphicons instagram" data-toggle="tooltip" title="In
39 <li><a href="#" class="glyphicons posterous_spaces" data-toggle="tooltip" ti
40 <li><a href="#" class="glyphicons last_fm" data-toggle="tooltip" title="Last
41 </ul>

```

FADEFLEX

It's testimonials slider with fade effect. You can also put there any content. Just paste your content in `` tag.


Documentation: [here](#)



```

1 <div class="flexslider fadeFlex">
2   <ul class="slides">
3     <li>
4       <div class="bubbleBox quotes">
5         <blockquote class="easyBox">
6           <span class="fontello icon-quote-left"><i></i></span>
7
8           <p>
9             Aliquam ligula mi, dictum sed gravida et, lobortis quis
10            vestibulum. Donec molestie rhoncus turpis. Mauris tristi
11
12            </p>
13            <span class="fontello icon-quote-right"><i></i></span>
14          </blockquote>
15          <span class="pull-right author">Richard Doe, Nonexistent Inc.</span>
16        </div>
17      </li>
18      <li>
19        <div class="bubbleBox quotes">
20          <blockquote class="easyBox">
21            <span class="fontello icon-quote-left"><i></i></span>
22
23            <p>
24              Pellentesque habitant morbi tristique senectus et netus
25
26              </p>
27              <span class="fontello icon-quote-right"><i></i></span>
28            </blockquote>
29            <span class="pull-right author">Stephen Crown, ABC corp.</span>
30          </div>
31        </li>
32      </ul>
33    </div>

```



and js:

```

1 function fadeFlexsliderInit() {
2   jQuery('.flexslider.fadeFlex').flexslider({
3     animation: 'fade',
4     animationLoop: false,
5     slideshow: false,
6     controlNav: false, //Boolean: Create navigation for pag
7     directionNav: true,
8     start: function(){
9       overlayContent('reload');
10    }
11  });
12 }

```




NIVO SLIDER

It's popular jquery image slider with 16 unique effects.

Remember to include css and js files for Nivo Slider.

Documentation: [here](#)



```

1 <!-- nivo slider -->
2 </div>
3
4 <div class="nivoWrapper" >
5   <div class="container">
6     <div class="nivoSlider">
7       
8       
9     </div>
10  </div>
11 </div>
12
13 <div class="container">
14 <!-- / nivo slider -->

```

and js:

```

1 function nivoSliderInit(){
2   jQuery('.nivoSlider').nivoSlider({
3     effect: 'random', // Specify sets like: 'fold,fade,sliceDown'
4     slices: 15, // For slice animations
5     boxCols: 8, // For box animations
6     boxRows: 4, // For box animations
7     animSpeed: 500, // Slide transition speed
8     pauseTime: 6000, // How long each slide will show
9     startSlide: 0, // Set starting Slide (0 index)
10    directionNav: true, // Next & Prev navigation
11    controlNav: true, // 1,2,3... navigation
12    controlNavThumbs: false, // Use thumbnails for Control Nav
13    pauseOnHover: true, // Stop animation while hovering
14    manualAdvance: false, // Force manual transitions
15    prevText: 'Prev', // Prev directionNav text
16    nextText: 'Next', // Next directionNav text
17    randomStart: false, // Start on a random slide
18    beforeChange: function(){}, // Triggers before a slide transition
19    afterChange: function(){}, // Triggers after a slide transition
20    slideshowEnd: function(){}, // Triggers after all slides have been shown
21    lastSlide: function(){}, // Triggers when last slide is shown
22    afterLoad: function(){} // Triggers when slider has loaded
23  });
24 }

```

CSS FILES AND STRUCTURE

We've included 3 css files: style.css, nivo-slider.css and flexslider.css. Two last css files are required to display page sliders.

Main CSS file: style.css includes:

1. Bootstrap v2.2.2
2. General Styles
3. Icons color
4. Overlay effect

- 5. Headers
- 6. Lists
- 7. Flickr Stream
- 8. Social Icons
- 9. Main Menu
- 10. COMPONENTS
 - titleBox
 - easyBox
 - iconBox
 - bubbleBox
 - blockquote
 - code
 - contactBox
 - twitterBox
- 11. STANDARD ELEMENTS
 - forms
 - buttons
 - accordion
 - drilldown
 - tabs
 - alerts box
 - table
 - price box
 - progress bar
- 12. SLIDERS
 - flexCarousel
 - flexLinear
 - flexFull
 - flexContent
 - nivo slider
- 13. STYLES FOR PAGES
 - portfolios
 - faq page
 - blog page
 - 404 page
 - footer
- 14. media queries, adjustments
 - @media (max-width: 1020px) {}
 - @media (max-width: 979px){}
 - @media (max-width: 767px) {}
 - @media (max-width: 480px) {}

If you want to modify or add new styles please find this lines in style.css :

```

/** ***** **/
/** GENERAL STYLES **/
/** ***** **/
/** START EDIT HERE **/

```

Below you can add your code.

JAVASCRIPT

All javascripts are placed in folder /js. In main.js file we implement all functions calls.
 This theme uses following Javascript files:


1. Bootstrap v2.2.2 framework (powerful front-end framework for faster and easier web development)
2. jQuery 1.9.0 (A fast javascript library that simplifies how to traverse HTML documents, handle events, perform animations.)
3. jQuery Quicksand v. 1.2.2 + jQuery Easing v1.3
4. FlexSlider 2
5. jQuery Nivo Slider v3.2
6. ContentHover jQuery plugin v0.1
7. ct3LevelAccordion (docs: <http://accordion.createit.pl/demo/index.html>)
8. ct3LevelDrillDown (docs: <http://drilldown.createit.pl/demo/index.html>)
9. Pretty Photo 3.1.5

QUICKSAND JQUERY PLUGIN + EASING (TRANSITIONS)


On Work page we use Quicksand. This plugin filters work items with a nice animation (jQuery Easing v1.3).

Documentation: [plugin homepage](#)


2 COLUMN PORTFOLIO



3 COLUMN PORTFOLIO



4 COLUMN PORTFOLIO



This is HTML markup we use:

You can choose between 2, 3 or 4 column portfolio layout. Just add special class to div with id "portfolio1" :

```
col2
col3
col4
```

```

1 <div class="row-fluid topSpace">
2   <div class="span12">
3     <ul class="filterPortfolio">
4       <li class="active"><a href="#" class="btn btn-small">All</a></li>
5       <li data-filter="filter-1"><a href="#" class="btn btn-small">Photogr
6       <li data-filter="filter-2"><a href="#" class="btn btn-small">Brandin
7       <li data-filter="filter-3"><a href="#" class="btn btn-small">Print</
8       <li data-filter="filter-4"><a href="#" class="btn btn-small">Web Des
9     </ul>
10
11     <ul class="portfolioList col2" id="portfolio1">
12       <li data-id="1" data-filter="filter-1 filter-2">
13         <div class="easyBox flat doCenter">
14           
15

```

```

16         <a href="#" class="btn-link btn-block">Project name</a>
17         <span class="halflings tag metaText">
18             <i></i> Branding, Web
19         </span>
20     </div>
21 </li>
22     (..)
23 <li data-id="4" data-filter="filter-2">
24     <div class="easyBox flat doCenter">
25         
26
27         <a href="#" class="btn-link btn-block">Project name</a>
28         <span class="halflings tag metaText">
29             <i></i> Branding, Web
30         </span>
31     </div>
32 </li>
33 </ul>
34 </div>
35 </div>
36 <!-- /row-fluid -->

```

and js:

```

1  function portfolioSort(){
2      /** Quicksand **/
3      var p = jQuery('#portfolio1');
4      var f = jQuery('.filterPortfolio');
5      var data = p.clone();
6      f.find('a').click(function () {
7          var link = jQuery(this);
8          var li = link.parents('li');
9          if (li.hasClass('active')) {
10             return false;
11         }
12
13         f.find('li').removeClass('active');
14         li.addClass('active');
15
16         //quicksand
17         var filtered = li.data('filter') ? data.find('li[data-filter~="' + li.da
18
19         p.quicksand(filtered, {duration:800,
20             easing:'easeInOutQuad'}, function () { // callback function
21
22         });
23         return false;
24     });
25 }


```

CONTENTHOVER JQUERY PLUGIN V0.1

It's images with overlay effect show on hover. You can specific your color, icon and transitions effect.

Documentation: [here](#)


Latest from Our Blog



February 12 7 comments

Freebie Friday: Freebies on AppStorm

Vivamus justo mi, dictum gravida ut, malesuada ultrices nibh. Etiam nibh sed eleifend viverra, sem justo lobor velit. eu dictum velit massa in tellus. Donec adipiscing lacinia...



February 12 7 comments

Envato's Most Wanted – \$4,000 Reward for the First 20 Infographics

Phasellus luctus eros faucibus lorem feugiat nec molestie leo mattis. Vestibulum sed massa in lectus sollicitudin tincidunt. Donec eget facilisis neque...

What Clients

“ Aliqua lobort rhonc neque tempo rhonc vehicu

ICONS

You can choose any icon from this set (just add to `` class same as icon name). For example : if you want volume-up to be icon overlay – create `` tag.

(click to zoom)



This is HTML markup we use:


```
1 
4 <a href="/"><span class="halflings plus"><i></i></span></a>
5 </div>
```

and js:

```
1 /* content on hover */
2 function overlayContent(i) {
3     if (i == 'init') {
4         jQuery('.contentoverlay').contenthover({
5             overlay_opacity: 0.6,
6             effect: 'fade', // [fade, slide, show] The effect to
7             fade_speed: 400, // Effect ducation for the 'fade' ef
8             slide_speed: 400, // Effect ducation for the 'slide' e
9             slide_direction: 'bottom' // [top, bottom, right, left] From wh
10        });
11    }
12    if (i == 'reload') {
13        /* responsive overlay fix */
14        jQuery('.ch_element').remove();
15        jQuery('.contentoverlay').show();
16        overlayContent('init');
17    }
18 }
```

TOOLTIPS

It's tooltip from bootstrap. You can add nice tooltip bubble show on link hover. We use this effect with social icons, but you can add tooltip to any link.



This is HTML markup we use:

```

1 | <a href="#" class="glyphicons facebook" data-toggle="tooltip" title="Facebook"><i
2 |
3 | <-- or simple link, like: -->
4 |
5 | <a href="#" data-toggle="tooltip" title="Facebook">My link</a>

```

and js:

```

1 | function tooltipInit() {
2 |     jQuery("[data-toggle='tooltip']").tooltip();
3 | }

```

PRETTY PHOTO

Working example you can find here : 09-septimus-portfolio-2-columns.html (Lightbox work) It's a jQuery lightbox clone. It support images and videos.

You can create various galleries by changing data-rel="prettyPhoto[gallery1]" where [gallery1] is gallery name.

Documentation: [here](#)

Note 1: Quicksand plugin (which is sorting items on work list) requires callback to be add : it is line 47 in main.js file : jQuery("a[data-rel^='prettyPhoto']").prettyPhoto({hook: 'data-rel'});

Note 2: prettyphoto css and js files have to be included:

```

1 | <link rel="stylesheet" type="text/css" href="js/prettyphoto/css/prettyphoto.css"
2 | <script type="text/javascript" src="js/prettyphoto/js/jquery.prettyphoto.min.js">

```

and js:

```

1 | <script>
2 | jQuery(document).ready(function(){
3 |     jQuery("a[data-rel^='prettyPhoto']").prettyPhoto({hook: 'data-rel'});
4 | });
5 | </script>

```

HTML markup:

```

1 | <!-- open video in prettyphoto -->
2 | <a href="http://www.youtube.com/watch?v=P_OvaDA7W6s&width=800&height=600&autoplay
3 |
4 | <!-- open image in prettyphoto -->
5 | <a href="images/img3.jpg" data-rel="prettyPhoto[gallery1]" class="media-link"><im

```

SLIDERS


FLEXCAROUSEL

It's flexslider jquery plugin. We implement clients slider.

Plugin requires 2 files to be included (css and js):

```
<link href="css/flexslider.css" rel="stylesheet"> and <script src="js/jquery.flexslider-min.js">
</script>
```

Documentation: [here](#)



```
1 <div class="flexslider flexCarousel">
2   <ul class="slides">
3     <li>
4       
5     </li>
6     <li>
7       
8     </li>
9     <li>
10      
11    </li>
12    <li>
13      
14    </li>
15    <li>
16      
17    </li>
18    <li>
19      
20    </li>
21    <li>
22      
23    </li>
24    <li>
25      
26    </li>
27    <li>
28      
29    </li>
30  </ul>
31 </div>
```

and js:


```
1 function carouselFlexsliderInit() {
2   jQuery('.flexslider.flexCarousel').flexslider({
3     animation: "slide",
4     animationLoop: true,
5     itemWidth: 140, //{{NEW}} Integer: Box-model width of in
6     minItems: 2, //{{NEW}} Integer: Minimum number of carou
7     maxItems: 6, //{{NEW}} Integer: Maximum number of caro
8     move: 0, //{{NEW}} Integer: Number of carousel item
9     controlNav: false, //Boolean: Create navigation for paging
10    directionNav: true
11  });
12 }
```



FLEXLINEAR

It's works slider. You can change transition effect (slide or fade)

Documentation: [here](#)



```

1 <div class="flexslider flexLinear">
2   <ul class="slides">
3     <li>
4       <div class="row-fluid">
5         <div class="span3">
6           <div class="easyBox flat doCenter">
7             
10              <a href="/"><span class="halflings plus"><i></i></sp
11             </div>
12             <a href="#" class="btn-link btn-block">Project name</a>
13             <span class="halflings tag metaText">
14               <i></i> Branding, Web
15             </span>
16           </div>
17         </div>
18       <div class="span3">
19         <div class="easyBox flat doCenter">
20           
23             <a href="/"><span class="halflings plus"><i></i></sp
24           </div>
25           <a href="#" class="btn-link btn-block">Project name</a>
26           <span class="halflings tag metaText">
27             <i></i> Branding, Web
28           </span>
29         </div>
30       </div>
31     <li>
32     </li>
33     <!-- / row-fluid -->
34   </li>
35   <li>
36     <li>
37   </li>
38 </ul>
39 </div>

```

and js:

```

1 function linearFlexsliderInit() {
2   jQuery('.flexslider.flexLinear').flexslider({
3     animation: 'slide',
4     animationLoop: false,
5     slideshow: false,
6     controlNav: false, //Boolean: Create navigation for paging
7     directionNav: true,
8     start: function(){
9       overlayContent('reload');
10    }
11  });
12 }

```

FLEXFULL


This is main page full-width slider. Implement with flexslider. It include box with promo text. You can set position of the box, adding class to container div :

```

leftUp
leftDown
rightUp
rightDown
inCenter

```

Documentation: [here](#)



```

1 <!-- fullwidth slider -->
2 </div>
3
4 <div class="flexslider flexFull">
5 <ul class="slides">
6 <li>
7 <div class="cont1">
8 <div class="container leftDown" >
9 <div class="easyBox flowContent">
10 <h3 class="subTitle">Unique and Clean</h3>
11
12 <p>Morbi at fermentum mauris. Sed risus urna, porttitor non
13
14 <a href="#" class="btn btn-small btn-primary">Learn More</a>
15 </div>
16 </div>
17 </li>
18 <li>
19 <div class="cont2">
20 <div class="container inCenter" >
21 <div class="easyBox flowContent">
22 <h3 class="subTitle">Unique and Clean</h3>
23
24 <p>Morbi at fermentum mauris. Sed risus urna, porttitor non
25
26 <a href="#" class="btn btn-small btn-primary">Learn More</a>
27 </div>
28 </div>
29 </li>
30 <li>
31 <div class="cont3">
32 <div class="container rightDown">
33 <div class="easyBox flowContent">
34 <h3 class="subTitle">Unique and Clean</h3>
35
36 <p>Morbi at fermentum mauris. Sed risus urna, porttitor non
37
38 <a href="#" class="btn btn-small btn-primary">Learn More</a>
39 </div>
40 </div>
41 </li>
42 </ul>
43 </div>
44 <div class="container">
45 <!-- / fullwidth slider -->

```

and js:

```

1 function fullFlexsliderInit() {
2   jQuery('.flexslider.flexFull').flexslider({
3     animation: "slide",
4     slideshowSpeed: 7000,           //Integer: Set the speed of the slidesho
5     animationSpeed: 600,
6     pauseOnAction: true,
7     controlNav: true,               //Boolean: Create navigation for paging
8     directionNav: true
9   });
10 }

```

CONTACT FORM

Template comes with ready to use Contact Form.

Working example you can find on contact page.

Before you start using it, please make sure your server:

- uses PHP 5.2+
- your web server (like Apache) is configured to listen on directory form

CONFIGURATION

File `js/contact-form.js` contains javascript responsible for validating and sending messages. You can customize it's behaviour by setting:

- `showErrors` – should form display validation error messages? (default: true)
- `sendingMessage` – once submit button is clicked, it's text will be changed to this value (default: Sending...)
- `debug` – displays debug messages when problems occur. Please make sure that also in `send.php $debug = true`.

Inside form directory you will find:

`config.php` – Mail configuration which MUST be setup up before sending emails, please make sure that:

- hostname, username and password are properly entered
- in case of problems in sending messages, use `$debug = true` variable to view any email errors

`contact.html` – this template will be used to render email message. Please note that special placeholders are available in this file surrounded with `{XXX}` like `{name}`. This placeholders will be substituted with real content received from contact form.

Please make sure that debug variables are set to false on production!

Config for simple `mail()` function : In `config.php` file just delete line `$mail->IsSMTP()`; and mail will use default `mail()` function.

TWITTER SETTINGS

New Twitter API requires authentication to display tweets from your account.

To make Twitter Feed work you need to create the 'application'

and generate 4 special keys for your twitter account via <https://dev.twitter.com/apps> :

- Consumer key (key)
- Consumer secret (secret)
- Access token (token)
- Access token secret (token_secret)

Video tutorial : <http://vimeo.com/60891535>

All configuration is placed in `\twitter\config.php`

here you have to set 4 generated keys and twitter account username:

```
1 $config = array(
2   'username' => "XXX", //username
3   'limit' => 3, //how many tweets we would like to display?
4   'with_replies' => true, //show replies? true or false
5   'oauth_access_token' => 'TOKEN',
6   'oauth_access_token_secret' => 'TOKEN_SECRET',
7   'consumer_key' => 'KEY',
8   'consumer_secret' => 'KEY_SECRET',
9 );
```

Twitter Feed requires web server (like Apache) with PHP.

That's it! Your latest tweets should appear automatically.

All Twitter Feed files :

- plugin file jquery.tweet.js (should be included at page)
- plugin call : `jQuery('.tweets').tweet({ ... });`
- \twitter directory uploaded
- `<div class="tweets"></div>` in template (script paste tweets inside div)

PSD FILES

There are 30 PSD files included in the project.

- 01-septimus-home-slider-1.psd
- 01-septimus-home-slider-2.psd
- 03-septimus-home-slider-3.psd
- 04-septimus-about.psd
- 05-septimus-services.psd
- 06-septimus-testimonials.psd
- 07-septimus-faq.psd
- 08-septimus-404.psd
- 09-septimus-portfolio-2-columns.psd
- 10-septimus-portfolio-3-columns.psd
- 11-septimus-portfolio-4-columns.psd
- 12-septimus-portfolio-single.psd
- 13-septimus-blog-large-image.psd
- 14-septimus-blog-medium-image.psd
- 15-septimus-blog-single-post.psd
- 16-septimus-contact.psd
- 17-septimus-shortcodes-elements.psd
- 18-septimus-shortcodes-pricing-tables.psd
- 19-septimus-shortcodes-typography.psd
- 20-septimus-home-boxed.psd
- 21-septimus-hovers.psd
- 22-septimus-home-green.psd
- 23-septimus-home-orange.psd
- 24-septimus-home-red.psd
- 25-septimus-home-yellow.psd
- 26-septimus-home-purple.psd
- 27-septimus-home-pink.psd
- 28-septimus-home-brown.psd
- 29-septimus-home-dark-blue.psd
- 30-septimus-home-teal.psd

Each PSD file is of course layered, layers are grouped into directories. If you'd like to change anything in the page layout, please put jpg/png image in HTML/img directory.

TYPOGRAPHY

In this theme we use Open Sans font :

- regular - standard text
- italic - `font-style:italic;` in css
- semibold - `font-weight:600;` in css
- bold - `font-weight:700;` in css

This is line of code that includes font from Google Web Fonts (placed on top style.css file:)

```
1 | @import url(http://fonts.googleapis.com/css?family=Open+Sans:400italic,400,600,700
```



More info: [Google Web Fonts](#)

SOURCES AND CREDITS

The following sources and files have been used to build up this theme

Twitter Bootstrap – <http://twitter.github.com/bootstrap/>

jQuery – <http://www.jquery.com>

GLYPHICONS PRO – <http://glyphicons.com>

icons are part of Sep7imus HTML Template, and you can use them only with this template. If you would like to use GLYPHICONS as a part of other product, you have to buy new license.

Once again, thank you so much for purchasing this theme. If you have any questions, feel free to email me via my user page [contact form](#).