

[ItemName - Subline](#)

- [HTML Structure](#)
- [CSS Files and Structure](#)
- [Media Sections](#)
- [Typography](#)
- [JavaScript](#)
- [Contact Form](#)
- [Sources and Credits](#)

Memoria - Funeral Home HTML Template

created: 20/07/2015
latest update: 20/07/2015
by: createIT

Support [Our Blog](#)

Thank you for purchasing this theme. If you have any questions that are beyond the scope of this help file, please feel free to email via the user page contact form on this page. Thanks so much!

Scope of free support

We can help you with:

- Responding to questions or problems regarding the item and its features
- Fixing any discovered item's bugs
- Providing updates to ensure compatibility with new software versions

HTML Structure

This theme is built upon bootstrap framework and is fully responsive. It adapts to window resolution and looks good on all devices including iPad and iPhone. See for yourself (resize your browser).

If you would like to read more about bootstrap framework click here :

[Bootstrap Documentation](#)

Grid System and Single row structure

The default Bootstrap grid system utilizes 12 columns. It's responsive grid and adapts to viewport. Below 767px viewports, the columns become fluid and stack vertically. The fluid grid system uses percents instead of pixels for column widths. Each row always include 12 columns (for example col-md-8 + col-md-4 = col-md-12).

```
<div class="row">
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
</div>
<div class="row">
  <div class="col-md-8">.col-md-8</div>
  <div class="col-md-4">.col-md-4</div>
</div>
<div class="row">
  <div class="col-md-4">.col-md-4</div>
  <div class="col-md-4">.col-md-4</div>
  <div class="col-md-4">.col-md-4</div>
</div>
<div class="row">
  <div class="col-md-6">.col-md-6</div>
  <div class="col-md-6">.col-md-6</div>
</div>
```

Page structure

Below you will find default page structure :

```
<!DOCTYPE html>
<html class="no-js" lang="en">
  <head lang="en">
    [css]
  </head>
  <body>
    <div class="ct-pageWrapper">
      [html code]
    </div>
  </body>
```

</html>

CSS Files and Structure

1. Menu

Menu - standard

```
<nav class="navbar navbar-default ct-defaultMenu" data-startnavbar="145">
  <div class="container">
    <div class="collapse navbar-collapse">
      <ul class="nav navbar-nav ct-navbar--zoomIn" data-time="">
        <li class="dropdown active"> <a href="index.html"> <span class="ct-dot"> </span>Home <span class="caret"> </span> </a>
          <ul class="dropdown-menu">
            <li class="dropdown active"> <a href="index.html">Home Version </a>
              <ul class="dropdown-menu">
                <li class="active"> <a href="index.html">Home </a> </li>
                <li> <a href="index-onepager.html">Home Onepager </a> </li>
              </ul>
            </li>
            <li class="dropdown"> <a href="index-fixedTopBar.html">Header Effects </a>
              <ul class="dropdown-menu">
                <li class="active"> <a href="index-fixedTopBar.html">Fixed Topbar </a> </li>
                <li> <a href="index-fixedMenu.html">Fixed Menu </a> </li>
                <li> <a href="index-fixedBoth.html">Fixed Both </a> </li>
                <li> <a href="index-scrollUpTopbar.html">Scroll Up Topbar </a> </li>
                <li> <a href="index-scrollUpMenu.html">Scroll Up Menu </a> </li>
                <li> <a href="index-scrollUpBoth.html">Scroll Up Both </a> </li>
                <li> <a href="index-hideMenu.html">Hide Menu </a> </li>
              </ul>
            </li>
          </ul>
        </li>
        <li> <a href="obituaries.html"> <span class="ct-dot"> </span>Obituaries </a> </li>
        <li class="dropdown"> <a href="flowers-and-gifts.html"> <span class="ct-dot"> </span>Flowers & Gifts <span class="caret"> </span> </a>
          <ul class="dropdown-menu">
            <li> <a href="flowers-and-gifts.html">Flowers & Gifts </a> </li>
            <li> <a href="single-product-page.html">Flowers Bouquet </a> </li>
          </ul>
        </li>
        <li class="dropdown"> <a href="about-us.html"> <span class="ct-dot"> </span>About Us <span class="caret"> </span> </a>
          <ul class="dropdown-menu">
            <li> <a href="about-us.html">About Us </a> </li>
            <li> <a href="our-services.html">Our Services </a> </li>
            <li class="dropdown"> <a href="blog.html">Blog </a>
              <ul class="dropdown-menu">
                <li> <a href="blog.html">Blog </a> </li>
                <li> <a href="blog-single.html">Blog Single Page </a> </li>
              </ul>
            </li>
          </ul>
        </li>
        <li class="dropdown"> <a href="features-grid.html"> <span class="ct-dot"> </span>Features <span class="caret"> </span></a>
          <ul class="dropdown-menu">
            <li> <a href="features-grid.html">Grid System </a> </li>
            <li> <a href="features-typography.html">Typography </a> </li>
            <li> <a href="features-buttons.html">Buttons </a> </li>
            <li> <a href="features-forms.html">Forms </a> </li>
            <li class="dropdown"> <a href="features-toggable.html">Toggables </a>
              <ul class="dropdown-menu">
                <li> <a href="features-toggable.html">Accordions </a> </li>
                <li> <a href="features-tabs.html">Tabs </a> </li>
              </ul>
            </li>
            <li> <a href="features-counters.html">Counters </a> </li>
            <li><a href="features-iconBoxes.html">Icon Boxes</a></li>
            <li><a href="features-tables.html">Tables</a></li>
            <li><a href="features-personBoxes.html">Person Boxes</a></li>
            <li><a href="features-charts.html">Charts</a></li>
            <li class="dropdown"><a href="features-p-icons.html">Progress</a>
              <ul class="dropdown-menu">
                <li><a href="features-p-icons.html">Progress Icons</a></li>
                <li><a href="features-p-bars.html">Progress Bars</a></li>
              </ul>
            </li>
            <li><a href="features-p-tables.html">Pricing Tables</a></li>
            <li class="dropdown"><a href="features-lists.html">Lists</a>
              <ul class="dropdown-menu">
                <li><a href="features-lists.html">Lists Simple</a></li>
                <li><a href="features-lists-icons.html">Lists Icons</a></li>
              </ul>
            </li>
            <li><a href="features-media-section.html">Media Sections</a></li>
            <li><a href="features-developers.html">For Developers</a></li>
          </ul>
        </li>
        <li class="dropdown"><a href="grief-support-resources.html"><span class="ct-dot"></span>Grief & Healing<span class="caret"></span></a>
          <ul class="dropdown-menu">
            <li><a href="grief-support-resources.html">Support Resources</a></li>
            <li><a href="understanding-grief.html">Grief & Despair</a></li>
            <li><a href="healing-process.html">The Healing Process</a></li>
            <li><a href="counselling-services.html">Counselling Services</a></li>
            <li><a href="grief-occured-death.html">Grief After Death</a></li>
          </ul>
        </li>
        <li><a href="contact.html"><span class="ct-dot"></span>Contact Us</a></li>
      </ul>
    </div>
  </div>
</nav>
```

```

<div class="ct-navbar-search ct-navbar-search--type1" style="display: none;">
  <form role="form">
    <div class="form-group">
      <input type="text" class="form-control ct-fs-i input-lg" placeholder="Please type keywords..." required="">
    </div>
    <button class="ct-navbar-search-button" type="submit">
      <i class="fa fa-search fa-fw"></i>
    </button>
  </form>
</div>
</div>
</nav>

```

Menu - small

```

<nav class="navbar navbar-default ct-stretchedMenu ct-js-headroom animatedHeadroom headroom--top" data-startnavbar="35">
  <div class="container">
    <div class="collapse navbar-collapse">
      <ul class="nav navbar-nav pull-left">
        <li class="onpage is-active"><a href="#home" class="ct-js-btnScroll">Home</a></li>
        <li class="onpage"><a href="#about-us" class="ct-js-btnScroll">About Us</a></li>
        <li class="onpage"><a href="#services" class="ct-js-btnScroll">Services</a></li>
        <li class="onpage"><a href="#obituaries" class="ct-js-btnScroll">Obituaries</a></li>
        <li class="onpage"><a href="#contact" class="ct-js-btnScroll">Contact Us</a></li>
      </ul>
      <ul class="pull-right ct-socials ct-socials--noBorder list-unstyled list-inline">
        <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Facebook"><a href="https://www.facebook.com/createITpl"><i class="fa fa-facebook"></i></a>
        <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Twitter"><a href="https://twitter.com/createitpl"><i class="fa fa-twitter"></i></a>
        <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Google Plus"><a href="#"><i class="fa fa-google-plus"></i></a>
        <li data-toggle="tooltip" data-placement="bottom" title="" class="active" data-original-title="Search">
          <div id="ct-js-navSearch" class="ct-navbar-navSearch">
            <a href="#"><i class="fa fa-search"></i></a>
          </div>
        </li>
      </ul>
      <div class="clearfix"></div>
      <div class="ct-navbar-search ct-navbar-search--type2" style="display: none;">
        <form role="form">
          <div class="form-group">
            <input type="text" class="form-control ct-fs-i input-sm" placeholder="Please type keywords..." required="">
          </div>
          <button class="ct-navbar-search-button" type="submit">
            <i class="fa fa-search fa-fw"></i>
          </button>
        </form>
      </div>
    </div>
  </div>
</nav>

```

TopBar

First Variations of TopBar (ct-topBar)



```

<div class="ct-topBar">
  <div class="container">
    <div class="row">
      <div class="col-lg-4 col-md-5 col-sm-4 text-left">
        <div class="ct-contactBox">
          <ul class="ct-contactBox-list list-unstyled list-inline">
            <li data-toggle="tooltip" data-placement="bottom" title="" class="active" data-original-title="Call us"><a href="#"><i class="fa fa-phone"></i></a>
            <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Email us"><a href="#"><i class="fa fa-envelope"></i></a>
            <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Facebook"><a href="https://www.facebook.com/createITpl"><i class="fa fa-facebook"></i></a>
            <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Twitter"><a href="https://twitter.com/createitpl"><i class="fa fa-twitter"></i></a>
            <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Google Plus"><a href="#"><i class="fa fa-google-plus"></i></a>
            <li data-toggle="tooltip" data-placement="bottom" title="" class="active" data-original-title="Search">
              <div id="ct-js-navSearch" class="ct-navbar-navSearch">
                <a href="#"><i class="fa fa-search"></i></a>
              </div>
            </li>
          </ul>
          <span class="ct-contactBox-content ct-u-colorMotive ct-u-displayBlock ct-u-fontType2">0 800 123 4567</span>
          <span class="ct-contactBox-info ct-fw-800 ct-fs-i ct-u-colorWhite ct-u-displayBlock">Call Us 24/7</span>
          <div class="clearfix"></div>
        </div>
      </div>
      <div class="col-lg-4 col-md-3 col-sm-4 text-center">
        <a href="index.html"></a>
      </div>
      <div class="col-lg-4 col-md-4 col-sm-4 text-right">
        <ul class="ct-socials list-unstyled list-inline">
          <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Facebook"><a href="https://www.facebook.com/createITpl"><i class="fa fa-facebook"></i></a>
          <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Twitter"><a href="https://twitter.com/createitpl"><i class="fa fa-twitter"></i></a>
          <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Google Plus"><a href="#"><i class="fa fa-google-plus"></i></a>
          <li data-toggle="tooltip" data-placement="bottom" title="" class="active" data-original-title="Search">
            <div id="ct-js-navSearch" class="ct-navbar-navSearch">
              <a href="#"><i class="fa fa-search"></i></a>
            </div>
          </li>
        </ul>
      </div>
    </div>
  </div>
</div>

```

Second Variations of TopBar (ct-topBar--small)




```

<div class="ct-anotherSlider ct-js-owl owl-carousel owl-theme" data-items="1" data-animations="true" data-navigation="true" data-autoplay="fa
  <div class="owl-wrapper-outer"><div class="owl-wrapper" style="width: 7612px; left: 0px; display: block;"><div class="owl-item active" sty
    <div class="inner">
      <blockquote class="ct-blockquoteBox">
        <div class="col-md-6 col-lg-6">
          <div class="ct-box ct-box--giveTriangle ct-u-marginTop60">
            <div class="ct-box-inner text-center">
              <i class="fa fa-quote-left fa-2x ct-u-colorMotive ct-u-paddingTop40 ct-u-paddingBottom5"></i>
              <header class="h2 ct-u-colorWhite ct-fs-i ct-u-fontType2 ">True help</header>
              <cite class="ct-fs-i ct-fw-700 ct-u-colorWhite ct-u-marginTopMinus10">Conrad, Illinois</cite>
            </div>
          </div>
        </div>
        <div class="col-md-6 col-lg-6 ct-blockquote ct-u-backgroundBlack ct-u-paddingBoth100">
          <p class="ct-u-paddingBoth50 ct-u-fontType2 ct-fs-i">Nam congue, pede vitae dapibus aliquet, elit magna vulputate arcu, ve
        </div>
      </blockquote>
    </div>
  </div></div><div class="owl-item" style="width: 1903px;"><div class="item">
    <div class="inner">
      <blockquote class="ct-blockquoteBox">
        <div class="col-md-6 col-lg-6">
          <div class="ct-box ct-box--giveTriangle ct-u-marginTop60">
            <div class="ct-box-inner text-center">
              <i class="fa fa-quote-left fa-2x ct-u-colorMotive ct-u-paddingTop40 ct-u-paddingBottom5"></i>
              <header class="h2 ct-u-colorWhite ct-fs-i ct-u-fontType2 ">Professional service</header>
              <cite class="ct-fs-i ct-fw-700 ct-u-colorWhite ct-u-marginTopMinus10">John, Washington</cite>
            </div>
          </div>
        </div>
        <div class="col-md-6 col-lg-6 ct-blockquote ct-u-backgroundBlack ct-u-paddingBoth100">
          <p class="ct-u-paddingBoth50 ct-u-fontType2 ct-fs-i">Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod
        </div>
      </blockquote>
    </div>
  </div></div></div></div>

  <div class="owl-controls clickable"><div class="owl-buttons"><div class="owl-prev"></div><div class="owl-next"></div></div></div></div>
</div>
</section>

```

Social icons

First type of social icons (ct-socials)



```

<ul class="ct-socials list-unstyled list-inline">
  <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Facebook"><a href="https://www.facebook.com/createITpl"><i class='
  <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Twitter"><a href="https://twitter.com/createitpl"><i class="fa fa-
  <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Google Plus"><a href="#"><i class="fa fa-google-plus fa-lg"></i></a>
</li>
</ul>

```

Second type of social icons (ct-socials--largeIcon)



```

<ul class="ct-socials ct-socials--largeIcon list-unstyled list-inline">
  <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Facebook"><a href="https://www.facebook.com/createITpl
  <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Twitter"><a href="https://twitter.com/createitpl"><i c
  <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Google Plus"><a href="#"><i class="fa fa-google-plus f
</li>
</ul>

```

Third type of social icons (ct-socials--noBorder)



```

<ul class="ct-socials ct-socials--largeIcon list-unstyled list-inline">
  <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Facebook"><a href="https://www.facebook.com/createITpl
  <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Twitter"><a href="https://twitter.com/createitpl"><i c
  <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Google Plus"><a href="#"><i class="fa fa-google-plus f
</li>
</ul>

```

Contact Box



```

<div class="row">
  <div class="col-lg-12 col-lg-offset-0 col-md-12 col-sm-6 col-sm-offset-3 ct-u-paddingBottom40">
    <div class="ct-contactBox">
      <ul class="ct-contactBox-list ct-contactBox-list--smallPadding list-unstyled list-inline">
        <li data-toggle="tooltip" data-placement="bottom" title="" class="active" data-original-title="Call us"><a href="#"><i class="fa fa-ph
      </ul>
      <span class="ct-contactBox-content ct-u-displayBlock ct-u-fontType2 ct-u-fontSize30 ct-u-colorMotive ">0 800 123 4567</span>
    </div>
  </div>

```

```

</div>
<div class="col-lg-12 col-lg-offset-0 col-md-12 col-sm-6 col-sm-offset-3 ct-u-paddingBottom40">
  <div class="ct-contactBox">
    <ul class="ct-contactBox-list ct-contactBox-list--smallPadding list-unstyled list-inline">
      <li data-toggle="tooltip" data-placement="bottom" title="" class="active" data-original-title="Send a message"><a href="#"><i class="fa fa-envelope"></i></a></li>
      <li data-toggle="tooltip" data-placement="bottom" title="" class="active" data-original-title="info@example.com"><a href="#"><i class="fa fa-envelope"></i></a></li>
    </ul>
  </div>
</div>
<div class="col-lg-12 col-lg-offset-0 col-md-12 col-sm-6 col-sm-offset-3 ct-u-paddingBottom10">
  <div class="ct-contactBox">
    <ul class="ct-contactBox-list ct-contactBox-list--smallPadding list-unstyled list-inline">
      <li data-toggle="tooltip" data-placement="bottom" title="" class="active" data-original-title="Get more info"><a href="#"><i class="fa fa-info"></i></a></li>
      <li data-toggle="tooltip" data-placement="bottom" title="" class="active" data-original-title="121 King Street, Melbourne Victoria"><a href="#"><i class="fa fa-map-marker"></i></a></li>
    </ul>
  </div>
</div>
<div class="col-lg-12 col-lg-offset-0 col-md-12 col-sm-6 col-sm-offset-3">
  <ul class="ct-socials ct-socials--largeIcon list-unstyled list-inline">
    <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Facebook"><a href="https://www.facebook.com/createITpl"><i class="fa fa-facebook"></i></a></li>
    <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Twitter"><a href="https://twitter.com/createitpl"><i class="fa fa-twitter"></i></a></li>
    <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Google Plus"><a href="#"><i class="fa fa-google-plus"></i></a></li>
  </ul>
</div>
</div>
</div>

```

Buttons


We have a lot of types of button:

- btn btn-default
- btn btn-primary
- btn btn-info
- btn btn-danger
- btn btn-alert
- btn btn-warning

Here is an example of using btn btn-default with another types of buttons:

- 1) Solid - btn btn-default btn-xs

- 2) Transparent btn btn-default ct-btn--border btn-xs

- 3) btn btn-default btn--iconRight btn-xs

- 4) btn btn-default ct-btn--border btn--iconRight btn-xs

- 5) btn btn-default btn-xs dropdown-toggle


Blog Single Page

Here is the code responsible for the simple article. The code has shcema attribute using microdata

```

<article itemprop="blogPost" itemscope="" itemType="http://schema.org/BlogPosting" class="ct-article ct-article-single">
  <div class="ct-article-media">
    
  </div>
  <div class="ct-article-title">
    <a itemprop="url" href="blog-single.html">
      <h4>5 Steps to Recover Faster After Loss</h4>
    </a>
  </div>
  <ul class="list-unstyled list-inline ct-article-meta">
    <li class="ct-article-author">
      <a itemprop="url" href="blog-single.html">
        <span itemprop="author">Admin</span>
      </a>
    </li>
    <li itemprop="dateCreated" class="ct-article-date">
      Jun 30, 2015
    </li>
    <li class="ct-article-category">
      <span itemprop="keywords">Recovering</span>,
      <span itemprop="keywords">Advices</span>
    </li>
    <li class="ct-article-comments">
      <a itemprop="url" href="blog-single.html">
        <span itemprop="commentCount">2</span>
      </a>
      <span>Comments</span>
    </li>
  </ul>
  <div itemprop="text" class="ct-article-description">
    <p>

```

```

    Nam congue, pede vitae dapibus aliquet, elit magna vulputate arcu, vel tempus metus leo non est.
    Donec eu libero sit amet quam egestas semper. Aenean ultricies mi vitae est. Mauris placerat eleifend leo.
  </p>
  <p>
    Lorem ipsum dolor sit amet, consectetur adipiscing elit. Proin nibh augue, suscipit a, scelerisque sed, lacinia in, mi. Cras vel lorem. Et
    Phasellus pharetra nulla ac diam. Quisque semper justo at risus. Donec venenatis, turpis vel hendrerit interdum, dui ligula ultricies puri
    Nam congue, pede vitae dapibus aliquet, elit magna vulputate arcu, vel tempus metus leo non est. Etiam sit amet lectus quis est congue mol
    ante vitae consectetur consequat, purus sapien ultricies dolor, et mollis pede metus eget nisi.
    Praesent sodales velit quis augue. Cras suscipit, urna at aliquam rhoncus, urna quam viverra nisi, in interdum massa nibh nec erat.
  </p>
  <p>
    Quisque semper justo at risus. Donec venenatis, turpis vel hendrerit interdum, dui ligula ultricies purus, sed posuere libero dui id orci.
    elit magna vulputate arcu, vel tempus metus leo non est. Etiam sit amet lectus quis est congue mollis. Phasellus congue lacus eget neque.
    purus sapien ultricies dolor, et mollis pede metus eget nisi.
    Praesent sodales velit quis augue. Cras suscipit, urna at aliquam rhoncus, urna quam viverra nisi, in interdum massa nibh nec erat.
  </p>
</div>
</article>

```

Blog Page

This is an example of just single article blog post. The following code has information about title, author, date and content of the post

```

<article itemprop="blogPost" itemscope="" itemtype="http://schema.org/BlogPosting" class="ct-article">
  <div class="ct-article-media">
    
  </div>
  <div class="ct-article-title">
    <a itemprop="url" href="blog-single.html">
      <h4>5 Steps to Recover Faster After Loss</h4>
    </a>
  </div>
  <ul class="list-unstyled list-inline ct-article-meta">
    <li class="ct-article-author">
      <a itemprop="url" href="blog-single.html">
        <span itemprop="author">Admin</span>
      </a>
    </li>
    <li itemprop="dateCreated" class="ct-article-date">
      Jun 30, 2015
    </li>
    <li class="ct-article-category">
      <span itemprop="keywords">Recovering</span>,
      <span itemprop="keywords">Advices</span>
    </li>
    <li class="ct-article-comments">
      <a itemprop="url" href="blog-single.html">
        <span itemprop="commentCount">2
          </span>
        Comments
      </a>
    </li>
  </ul>
  <div itemprop="text" class="ct-article-description">
    <p>
      Nam congue, pede vitae dapibus aliquet, elit magna vulputate arcu, vel tempus metus leo non est.
      Donec eu libero sit amet quam egestas semper. Aenean ultricies mi vitae est. Mauris placerat eleifend leo.
    </p>
  </div>
  <div class="ct-article-readMore"><a itemprop="url" href="blog-single.html" class="btn btn-default btn--iconRight">
    Read Article<i class="fa fa-caret-right"></i>
  </a>
  </div>
</article>

```

Pagination:



```

<nav class="ct-paginationBlog">
  <ul class="pagination pagination-lg">
    <li class="active"><a href="#" class="btn btn-default">1</a></li>
    <li><a href="#" class="btn btn-default">2</a></li>
    <li><a href="#" class="btn btn-default">3</a></li>
  </ul>
</nav>

```



Icon Boxes

Icon Boxes - First Variations



```

<div class="ct-iconBoxes ct-frame">
  <div class="ct-iconBoxes-icon">
    <span class="ct-iconDivider ct-iconDivider--dark"><i class="fa fa-fire fa-2x"></i></span>
  </div>
  <div class="ct-iconBoxes-title">obituaries</div>

```

```

<div class="ct-iconBoxes-description">
  <p>
    Nam congue, pede vitae dapibus aliquet, elit magna vulputate arcu, vel tempus metus leo non est.
  </p>
</div>
<div class="ct-iconBoxes-button ct-iconBoxes-button--topPosition">
  <div class="btn-group">
    <a href="#" class="btn btn-default">See Services</a>
    <a href="#" class="btn btn-default dropdown-toggle" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
      <span class="caret"></span>
      <span class="sr-only">Toggle Dropdown</span>
    </a>

    <ul class="dropdown-menu">
      <li><a href="#">History</a></li>
      <li><a href="#">Philosophy</a></li>
      <li><a href="#">Our Team</a></li>
      <li><a href="#">Our Facilities</a></li>
    </ul>
  </div>
</div>
</div>

```

Icon Boxes - Second Variations



```

<div class="ct-iconBoxes ct-iconBoxes--secondVersion">
<div class="ct-iconBoxes-icon">
  <i class="fa fa-heart-o"></i>
</div>
<div class="ct-iconBoxes-title">
  <h5 class="ct-fw700 text-uppercase ct-u-colorWhite"><a href="#">stage 1</a></h5>
</div>
<small class="ct-iconBoxes-category">
  lorem ipsum
</small>
<div class="ct-iconBoxes-description">
  Lorem ipsum dolor sit amet, consectetur adipisicing elit. Proin nibh augue, suscipit a, scelerisque sed, lacinia in, mi. Cras vel lorem.
</div>
</div>

```

Person Boxes



```

<div class="ct-personBox">
<div class="ct-personBox-image">
  
</div>
<div class="ct-personBox-name">rick dawson</div>
<span class="ct-personBox-category">Owner</span>
<span class="ct-personBox-email">rick@example.com</span>
<span class="ct-personBox-tel">+ 1 123 456 7890</span>
<ul class="ct-socials ct-socials--largeIcon ct-socials--noBorder ct-socials--darkColor list-unstyled list-inline">
  <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Facebook"><a href="https://www.facebook.com/createITpl"><i class="fa fa-facebook"></i></a>
  <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Twitter"><a href="https://twitter.com/createitpl"><i class="fa fa-twitter"></i></a>
  <li data-toggle="tooltip" data-placement="bottom" title="" data-original-title="Google Plus"><a href="#"><i class="fa fa-google-plus fa-lg"></i></a>
</ul>
</div>

```

Counters



```

<div class="ct-counterBox">
<span class="ct-counterBox-number ct-js-counter" data-ct-to="57" data-ct-speed="9000">57</span>
<span>%</span>
<hr>
<span class="ct-counterBox-title">of people</span>
<span class="ct-counterBox-category">proin nibh qugue</span>
</div>

```

Widgets

```

<div class="col-md-4">
<aside class="ct-sidebar ct-frame">
  <div class="row">
    <div class="col-sm-12 col-md-12">
      <section class="widget ct-search-widget ct-u-paddingBottom20">
        <div class="widget-inner">
          <div class="form-group ct-widget-search">
            <input placeholder="Search" required="" type="text" name="field[]" class="form-control input-sm">
            <button>
              <i class="fa fa-search"></i>
            </button>
          </div>
        </div>
      </section>
      <section class="widget ct-u-paddingBottom5">

```



```

<div class="widget-inner">
  <h6 class="ct-u-borderBottom ct-u-paddingBottom20">Categories</h6>
  <ul class="ct-widget-lists list-unstyled">
    <li class="ct-u-borderBottom"><a href="#">Advices<i class="fa fa-caret-right"></i></a></li>
    <li class="ct-u-borderBottom"><a href="#">Life Goes On<i class="fa fa-caret-right"></i></a></li>
    <li class="ct-u-borderBottom"><a href="#">Recovering<i class="fa fa-caret-right"></i></a></li>
    <li class="ct-u-borderBottom"><a href="#">World News<i class="fa fa-caret-right"></i></a></li>
    <li class="ct-u-borderBottom"><a href="#">Offtopic<i class="fa fa-caret-right"></i></a></li>
  </ul>
</div>
</section>

<section class="widget ct-u-paddingBottom5">
  <div class="widget-inner">
    <h6 class="ct-u-paddingBottom5">recent posts</h6>

    <div class="media ct-u-paddingBottom20 ct-u-borderBottom">
      <div class="media-left">
        
      </div>
      <div class="media-body">
        <div class="media-heading ct-u-fontSize14 ct-fs-i ct-u-fontType2"><a href="blog-single.html">5 Steps to Recover After
        <div class="ct-u-colorLight ct-u-fontSize14 ct-fs-i ct-u-fontType2">by Admin on Jun 30, 2015</div>
      </div>
    </div>

    <div class="media ct-u-paddingBottom20 ct-u-paddingTop20 ct-u-borderBottom">
      <div class="media-left">
        
      </div>
      <div class="media-body">
        <div class="media-heading ct-u-fontSize14 ct-fs-i ct-u-fontType2"><a href="single-product-page.html">How to Prepare Yc
        <div class="ct-u-colorLight ct-u-fontSize14 ct-fs-i ct-u-fontType2">by Admin on Jun 30, 2015</div>
      </div>
    </div>

    <div class="media ct-u-paddingBottom20 ct-u-paddingTop20">
      <div class="media-left">
        
      </div>
      <div class="media-body">
        <div class="media-heading ct-u-fontSize14 ct-fs-i ct-u-fontType2"><a href="single-product-page.html">Supporting Your F
        <div class="ct-u-colorLight ct-u-fontSize14 ct-fs-i ct-u-fontType2">by Admin on Jun 30, 2015</div>
      </div>
    </div>
  </div>
</section>

<section class="widget ct-u-paddingBottom5">
  <div class="widget-inner">
    <h6 class="ct-u-borderBottom ct-u-paddingBottom20">archive</h6>
    <ul class="ct-widget-lists list-unstyled">
      <li class="ct-u-borderBottom"><a href="#">June 2015<i class="fa fa-caret-right"></i></a></li>
      <li class="ct-u-borderBottom"><a href="#">May 2015<i class="fa fa-caret-right"></i></a></li>
      <li class="ct-u-borderBottom"><a href="#">April 2015<i class="fa fa-caret-right"></i></a></li>
      <li class="ct-u-borderBottom"><a href="#">March 2015<i class="fa fa-caret-right"></i></a></li>
      <li class="ct-u-borderBottom"><a href="#">February 2015<i class="fa fa-caret-right"></i></a></li>
      <li class="ct-u-borderBottom"><a href="#">Older Posts<i class="fa fa-caret-right"></i></a></li>
    </ul>
  </div>
</section>

<section class="widget ct-u-paddingBottom5">
  <div class="widget-inner">
    <h6 class="ct-u-paddingBottom20">tag cloud</h6>
    <ul class="ct-tags list-unstyled list-inline">
      <li><a href="#">Loss</a></li>
      <li><a href="#">Recovery</a></li>
      <li><a href="#">Family</a></li>
      <li><a href="#">Child</a></li>
      <li><a href="#">Funeral</a></li>
      <li><a href="#">Ceremony</a></li>
      <li><a href="#">Money</a></li>
      <li><a href="#">Church</a></li>
      <li><a href="#">Graveyard</a></li>
      <li><a href="#">Grief</a></li>
    </ul>
  </div>
</section>
</div>
</aside>
</div>

```

Accordions

First Type of Accordions



```

<div class="col-md-7 col-md-offset-3 col-sm-8 col-sm-offset-2">
<div class="panel-group ct-panelFirstVariations" id="accordion" role="tablist" aria-multiselectable="true">
  <div class="panel panel-default ct-u-paddingBottom40">
    <div class="panel-heading" role="tab" id="headingOne">
      <h4 class="panel-title">
        <a role="button" data-toggle="collapse" data-parent="#accordion" href="#collapseOne" aria-expanded="false" aria-controls="collapseOne">
          <span></span>Is casket needed? Do I have to purchase One?
        </a>
      </h4>

```

```

    </div>
    <div id="collapseOne" class="panel-collapse collapse" role="tabpanel" aria-labelledby="headingOne" aria-expanded="false" style="height: 0;
      <div class="panel-body">
        Phasellus pharetra nulla ac diam. Quisque semper justo at risus. Donec venenatis, turpis vel hendrerit interdum, dui ligula ultric
      </div>
    </div>
  </div>
</div>
<div class="panel panel-default ct-u-paddingBottom40">
  <div class="panel-heading" role="tab" id="headingTwo">
    <h4 class="panel-title">
      <a class="collapsed" role="button" data-toggle="collapse" data-parent="#accordion" href="#collapseTwo" aria-expanded="false" aria-
        <span></span>Is embalming obligatory?
      </a>
    </h4>
  </div>
  <div id="collapseTwo" class="panel-collapse collapse" role="tabpanel" aria-labelledby="headingTwo" aria-expanded="false">
    <div class="panel-body">
      Phasellus pharetra nulla ac diam. Quisque semper justo at risus. Donec venenatis, turpis vel hendrerit interdum, dui ligula ultric
    </div>
  </div>
</div>
<div class="panel panel-default ct-u-paddingBottom40">
  <div class="panel-heading" role="tab" id="headingThree">
    <h4 class="panel-title">
      <a class="collapsed" role="button" data-toggle="collapse" data-parent="#accordion" href="#collapseThree" aria-expanded="false" ari
        <span></span>What type of service do you propose?
      </a>
    </h4>
  </div>
  <div id="collapseThree" class="panel-collapse collapse" role="tabpanel" aria-labelledby="headingThree" aria-expanded="false" style="height
    <div class="panel-body">
      Phasellus pharetra nulla ac diam. Quisque semper justo at risus. Donec venenatis, turpis vel hendrerit interdum, dui ligula ultric
    </div>
  </div>
</div>
<div class="panel panel-default">
  <div class="panel-heading" role="tab" id="headingFour">
    <h4 class="panel-title">
      <a class="collapsed" role="button" data-toggle="collapse" data-parent="#accordion" href="#collapseFour" aria-expanded="false" ari
        <span></span>Who takes care of cemetery arrangements?
      </a>
    </h4>
  </div>
  <div id="collapseFour" class="panel-collapse collapse" role="tabpanel" aria-labelledby="headingFour" aria-expanded="false" style="height:
    <div class="panel-body">
      Phasellus pharetra nulla ac diam. Quisque semper justo at risus. Donec venenatis, turpis vel hendrerit interdum, dui ligula ultric
    </div>
  </div>
</div>
</div>
</div>

```

Second Type of Accordions



This is just piece of code

```

  <div class="panel panel-default ct-u-paddingBottom50">
    <div class="panel-heading" role="tab" id="headingOnee">
      <a role="button" data-toggle="collapse" data-parent="#accordion1" href="#collapseOnee" aria-expanded="true" aria-controls="collapseOnee" clas
        <h4 class="panel-title">
          <div class="ct-icon btn btn-default">
            <span></span><i class="fa fa-caret-down"></i>
          </div>
          <span>personalized<br> funeral services</span>
        </h4>
        <div class="panel-content ct-imageBox">
          
        </div>
      </a>
    </div>
    <div id="collapseOnee" class="panel-collapse collapse in" role="tabpanel" aria-labelledby="headingOnee" aria-expanded="true">
      <div class="panel-body">
        <p class="ct-u-fontSize24">Donec venenatis, turpis vel hendrerit interdum, dui ligula ultricies purus, sed posuere libero dui id orci. Lor
        <br>
        <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Proin nibh augue, suscipit a, scelerisque sed, lacinia in, mi. Cras vel lorem
          Phasellus pharetra nulla ac diam. Quisque semper justo at risus.</p>
      </div>
    </div>
  </div>
</div>

```

Tabs



```

  <div class="ct-tabs">
    <!-- Nav tabs -->
    <ul class="nav nav-tabs" role="tablist">
      <li role="presentation" class="active"><a href="#home" aria-controls="home" role="tab" data-toggle="tab">Tab One</a></li>
      <li role="presentation"><a href="#profile" aria-controls="profile" role="tab" data-toggle="tab">Tab Two</a></li>
      <li role="presentation"><a href="#messages" aria-controls="messages" role="tab" data-toggle="tab">Tab Three</a></li>
    </ul>

```

```

<!-- Tab panes -->
<div class="tab-content">
  <div role="tabpanel" class="tab-pane active" id="home">
    <div class="tab-content-inside">
      <h5 class="ct-tabs-header">Funeral Home Memoria started its activity nearly 95 years ago. Lorem ipsum dolor sit amet.</h5>
      <p class="ct-tabs-description">
        Lorem ipsum dolor sit amet, consectetur adipisicing elit. Proin nibh augue, suscipit a, scelerisque sed, lacinia in, mi.
        Cras vel lorem. Etiam pellentesque aliquet tellus. Phasellus pharetra nulla ac diam.
      </p>
    </div>
  </div>
  <div role="tabpanel" class="tab-pane" id="profile">
    <div class="tab-content-inside">
      <h5 class="ct-tabs-header">Funeral Home Memoria started its activity nearly 95 years ago. Lorem ipsum dolor sit amet.</h5>
      <p class="ct-tabs-description">
        At vero eos et accusamus et iusto odio dignissimos ducimus qui blanditiis praesentium voluptatum deleniti atque corrupti quos dolc
        sint occaecati cupiditate non provident, similique sunt in culpa qui officia deserunt mollitia animi, id est laborum et dolorum fi
      </p>
    </div>
  </div>
  <div role="tabpanel" class="tab-pane" id="messages">
    <div class="tab-content-inside">
      <h5 class="ct-tabs-header">Funeral Home Memoria started its activity nearly 95 years ago. Lorem ipsum dolor sit amet.</h5>
      <p class="ct-tabs-description">
        Temporibus autem quibusdam et aut officiis debitis aut rerum necessitatibus saepe eveniet ut et voluptates repudiandae sint et mol
        Itaque earum rerum hic tenetur a sapiente delectus, ut aut reiciendis voluptatibus maiores alias consequatur aut perferendis dolor
      </p>
    </div>
  </div>
</div>
</div>
</div>

```

Product Shop

Simple navs



```

<nav class="ct-navComponent ct-frame">
  <ul class="list-unstyled">
    <li><a href="#">Flowers</a></li>
    <li><a href="#">Gift Baskets</a></li>
    <li><a href="#">Sympathy Cards</a></li>
  </ul>
</nav>

```

Product Page



```

  <div class="ct-productShop">
    <a href="single-product-page.html">
      <div class="ct-productShop-image ct-frame">
        
      </div>
      <div class="ct-productShop-name ct-u-fontType2 ct-fs-i text-center">Flower Bouquet</div>
      <div class="ct-productShop-price ct-u-fontType2 ct-fs-i text-center ct-u-colorMotive">$ 59.95</div>
    </a>
  </div>

```

Product Page - hover effect



Product Single Page

Like you see, you can zoom the product page and when you clicked, the window will open with a big image of the product. Below is the example of single product html structure



```

<div class="ct-singleProduct">
  <div class="ct-productShop">
    <div class="row">
      <div class="col-lg-7 col-md-12">
        <div class="ct-productShop-image text-center ct-u-paddingBoth60 ct-js-popupGallery ct-zoom ct-frame"><!--ct-zoom--><!--ct-frame-->
          <a href="assets/images/demo-content/single-product-big.jpg" class="ct-js-popup">
            
          </div>
        </div>
      <div class="col-lg-5 col-md-12">
        <div class="ct-productShop-content">
          <div class="ct-productShop-name ct-u-fontSize24 ct-fw-700 text-uppercase ct-u-mobileTextCenter">Flower Bouquet</div>
          <h4 class="ct-productShop-price ct-u-fontType2 ct-fs-i ct-u-colorMotive">$ 59.95</h4>
          <p class="ct-productShop-description">Nam congue, pede vitae dapibus aliquet, elit magna vulputate arcu, vel tempus metus leo non
            Donec eu libero sit amet quam egestas semper.</p>
          <div class="ct-u-borderBottom ct-u-paddingBottom10"></div>
        </div>
      </div>
    </div>
  </div>

```

```

<div class="ct-productShop-dedication ">
  <form role="form" action="assets/form/send.php" method="post" class="contactForm validateIt" data-email-subject="Contact Form'
    <div class="row">
      <div class="col-md-12">
        <div class="form-group ct-input-different">
          <label for="dedication" class="ct-fw-800 text-uppercase">Your dedication</label>
          <input type="text" class="form-control" placeholder="" id="dedication" required="">
          <p class="help-block">120 signs left</p>
        </div>
      </div>
    </div>
    <div class="ct-article-readMore">
      <button type="submit" class="btn btn-default btn--iconRight">Add to Cart<i class="fa fa-plus"></i></button>
    </div>
  </form>
  <div class="successMessage alert alert-success ct-frame ct-u-marginTop20 text-center" style="display: none">
    <button type="button" class="close" data-dismiss="alert" aria-hidden="true">x</button>
    The Product Was Added To Your Cart
  </div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

```

Gallery box with Infinity Scroll

This is typical example of infinity scroll with load more button. If you would like to see more posts, just click on the button. Below is just simple example of single imageBox



```

<div class="ct-gallery-item ct-gallery-item--masonry 2015" style="position: absolute; left: 0px; top: 0px;">
  <div class="ct-gallery-itemInner ct-gallery-itemInner--ribbon ct-frame">
    <div class="ct-gallery-itemInner-image ct-gallery--hover">
      <a href="#" data-toggle="modal" data-target="#myModal">
        
      </a>
    </div>

    <div class="ct-gallery-itemInner-content">
      <h4 class="ct-u-fontType2 ct-fs-i">John Snow</h4>
      <span class="ct-fw-700 ct-fs-i ct-u-displayBlock">Husband & Father</span>
      <span class="ct-u-colorGrey ct-u-displayBlock ct-fw-700 ct-fs-i">01.01.1921 - 04.13.2015</span>

      <ul class="list-inline list-unstyled ct-u-fontType2 ct-fs-i ct-u-paddingTop20">
        <li><a href="#">Share</a></li>
        <li><a href="#"></a></li>
        <li><a href="flowers-and-gifts.html">Send Flowers</a></li>
      </ul>
      <div class="clearfix"></div>
      <p>
        Great man left us this day. Nam congue, pede vitae dapibus aliquet, elit magna vulputate arcu, vel tempus metus leo non est. Rest in p
      </p>
    </div>
  </div>
</div>
</div>

```

Icons - font awesome

We've included 360+ font icons.

- Awesome Icons - <http://fontawesome.io/icons/>

HTML markup:

```

<!-- Awesome Icons -->
<i class="fa fa-cog"></i>

```

Appearing with Animation when element in viewport

Animation can be turn off just be remove "withAnimation" class from body.

Usage:

- add "animated" class to element and data-fx="animation-type". That's it.

Available animation : <http://daneden.github.io/animate.css/>

- data-fx="hinge"
- data-fx="bounce"
- data-fx="flash"
- data-fx="pulse"
- data-fx="shake"
- data-fx="swing"
- data-fx="tada"
- data-fx="wobble"
- data-fx="bounceIn"
- data-fx="bounceInDown"
- data-fx="bounceInLeft"

- data-fx="bounceInRight"
- data-fx="bounceInUp"
- data-fx="bounceOut"
- data-fx="bounceOutDown"
- data-fx="bounceOutLeft"
- data-fx="bounceOutRight"
- data-fx="bounceOutUp"
- data-fx="fadeIn"
- data-fx="fadeInDown"
- data-fx="fadeInDownBig"
- data-fx="fadeInLeft"
- data-fx="fadeInLeftBig"
- data-fx="fadeInRight"
- data-fx="fadeInRightBig"
- data-fx="fadeInUp"
- data-fx="fadeInUpBig"
- data-fx="fadeOut"
- data-fx="fadeOutDown"
- data-fx="fadeOutDownBig"
- data-fx="fadeOutLeft"
- data-fx="fadeOutLeftBig"
- data-fx="fadeOutRight"
- data-fx="fadeOutRightBig"
- data-fx="fadeOutUp"
- data-fx="fadeOutUpBig"
- data-fx="flip"
- data-fx="flipInX"
- data-fx="flipInY"
- data-fx="flipOutX"
- data-fx="flipOutY"
- data-fx="lightSpeedIn"
- data-fx="lightSpeedOut"
- data-fx="rotateIn"
- data-fx="rotateInDownLeft"
- data-fx="rotateInDownRight"
- data-fx="rotateInUpLeft"
- data-fx="rotateInUpRight"
- data-fx="rotateOut"
- data-fx="rotateOutDownLeft"
- data-fx="rotateOutDownRight"
- data-fx="rotateOutUpLeft"
- data-fx="rotateOutUpRight"
- data-fx="slideInDown"
- data-fx="slideInLeft"
- data-fx="slideInRight"
- data-fx="slideOutLeft"
- data-fx="slideOutRight"
- data-fx="slideOutUp"
- data-fx="rollIn"
- data-fx="rollOut"

CSS Files & Structure

We've included 2 files.

bootstrap.css contains Bootstrap 3 Library.

style.css file contains general styles.

- 1. Google Fonts
- 2. Font Awesome styles
- 3. Animate css styles
- 4. GENERAL STYLES
- 5. Typography
- 6. Buttons
- 7. Pagination
- 8. Alerts
- 9. Inputs
- 10. Header styles
- 11. Navbar styles
- 12. Call to action
- 13. Sections
- 14. Media sections - video/parallax/kenburns
- 15. Pre footer section
- 16. Footer
- 17. Articles
- 18. Counters
- 19. Blockquote
- 20. Lists
- 21. Accordion
- 22. Socials icons
- 23. Square icons
- 24. Google map
- 25. Flexslider
- 26. Time circle counter
- 27. Isotope
- 28. Helpers
- 29. Media queries, adjustments

Media Sections

This theme supports media sections with Parallax, KenBurns effect and videos.

Parallax Section

```
<div class="ct-mediaSection ct-u-colorWhite" data-color="#fff" data-type="parallax" data-height="600" data-background="assets/images/demo-content/03.:
  <div class="ct-mediaSection-inner">
    <div class="container">
      <div class="row">
        <div class="col-md-12 text-center">
          <h2 class="ct-u-colorWhite">Parallax</h2>
        </div>
      </div>
    </div>
  </div>
</div>
```

Parallax section supports simply image that you should add inside .media-section darkbg.

Ken Burns Sections

```
<div class="ct-mediaSection" data-type="kenburns" data-height="600" data-background-mobile="assets/images/demo-content/02.jpg" style="min-height: 600px">
  <div class="ct-mediaSection-kenburns">
    
  </div>
  <div class="ct-mediaSection-inner">
    <div class="container">
      <div class="row">
        <div class="col-md-12 text-center">
          <h2 class="ct-u-colorWhite">Ken Burns</h2>
        </div>
      </div>
    </div>
  </div>
</div>
```

KenBurns section supports one or more images that you should add inside .media-section-image-container

Our custom data-attributes for the kenburns section are:

- data-height: Define the minimum height for the sections
- data-type: Type of Media Section (parallax/kenburns/video)
- data-background-mobile: Fallback image (Should be smaller than the original) that is loaded for small devices. Kenburns it too much for ipads, iphones and so on, so we allow you to fallback to a normal image section. This way your browser won't crash :)

Video Sections

```
<div class="ct-mediaSection" data-color="#fff" data-type="video" data-height="600" data-background-mobile="http://lorempixel.com/1920/1080/abstract" style="min-height: 600px">
  <div class="ct-mediaSection-video embed-responsive embed-responsive-16by9">
    <iframe src="https://player.vimeo.com/video/37323332?autoplay=1"></iframe>
  </div>
  <div class="ct-mediaSection-inner">
    <div class="container">
      <div class="row">
        <div class="col-md-12 text-center">
          <h2 class="ct-u-colorWhite">Video</h2>
        </div>
      </div>
    </div>
  </div>
</div>
```

We recommend you to use html5 video instead of vimeo, since in some specific browsers the sound won't be muted.

Our custom data-attributes for the video section are:

- data-height: Define the minimum height for the sections
- data-type: Type of Media Section (parallax/kenburns/video)
- data-background-mobile: Fallback image (Should be smaller than the original) that is loaded for small devices. Phones don't autoplay video, so we just replace it for an image

Typography

We use google font service to include fonts or font face sets.

Primary Font used: Open Sans

Secondary Font used: Libre Baskerville

```
@font-family1: 'Open Sans', sans-serif;
@font-family2: 'Libre Baskerville', serif;
```

Credits:

[Open Sans](#)

[Libre Baskerville](#)

JavaScript

All javascripts are placed in folder /js. In main.js file we implement all functions calls.
This theme uses following Javascript files:

1. Bootstrap v 3 framework (powerful front-end framework for faster and easier web development)
2. JQuery v1.10.2 (A fast javascript library that Foodtruckifies how to traverse HTML documents, handle events, perform animations.)
3. GMAP3 Plugin for JQuery v. 5.1.1
4. JQuery.appear
5. Stellar
6. SmoothScroll
7. Media Section
8. Headroom Plugin
9. Owl Slider v1
10. jQueryGray
11. Masonry Plugin
12. Infinity scroll Plugin
13. Twitter js
14. JQuery Ekevate Zoom
15. JQuery Page Scroller
16. Magnific Popup
17. Isotope v1.5.25
18. JQuery Stellar
19. Modernizr 2.0.6
20. Snap.js
21. Device.js 0.1.58

Google Map (GMAP3 Plugin)

This is google map with custom marker, you can define couple parameters:

- **data-location** - address to show
- **data-height** - map height (if undefined height will be 220px)
- **data-offset** - by how many map should be repositioned from marker center point (default -30)

It uses gmap3 plugin.

Documentation: [here](#)

HTML Markup:

```
<div id="googleMap" class="googleMap" data-location="Seward Park" data-text=""></div>
```

All javascript code can be found in js/main.js file:

jquery.appear

This plugin call function when element appear in viewport. This is used in custom animation, progress bars, counter timer.

Documentation: <https://github.com/bas2k/jquery.appear/>

```
if (jQuery().appear) {
  if (device.mobile()) {
    // disable animation on mobile
    jQuery("body").removeClass("withAnimation");
  } else {
    jQuery('.withAnimation .animated').appear(function () {
      jQuery(this).each(function () {
        jQuery(this).addClass('activate');
        jQuery(this).addClass(`${this}.data('fx')`);
      });
    }, {accY: -150});
  }
}
```

Contact Form

Template comes with ready to use:

- Contact Form
- Newsletter Form

All needed files are in /form directory.

Remember to include `<script src="form/js/form.js"></script>` on page.

To **configure** form just edit form/form.php and change e-mails to your own :

```
$to = "mail@example.com";
$from = "mail@example.com";
```

That's it!

Contact Form

HTML Markup:

```
<h5 class="light pull-right">Send a Message</h5>
<div class="row padding-xs-top">
  <div class="successMessage alert alert-success" style="display: none">
    <button type="button" class="close" data-dismiss="alert" aria-hidden="true"></button>
  <p>Thank You! We will contact you shortly.</p>
```

```

    </div>
    <div class="errorMessage alert alert-error" style="display: none">
      <button type="button" class="close" data-dismiss="alert" aria-hidden="true">×</button>
      <p>Ups! An error occurred. Please try again later.</p>
    </div>
  </div>
  <form role="form" action="form/send.php" method="post" class="contactForm validateIt" data-email-subject="Contact Form" data-show-errors="true">
    <div class="row padding-xs-top">
      <div class="col-md-6 col-sm-6">
        <div class="form-group">
          <input required type="text" name="field[]" class="form-control input-lg" placeholder="Name *">
        </div>
        <div class="form-group">
          <input required type="tel" name="field[]" class="form-control input-lg" placeholder="Phone">
        </div>
      </div>
      <div class="col-md-6 col-sm-6">
        <div class="form-group">
          <input required type="email" name="field[]" class="form-control input-lg" placeholder="Email *">
        </div>
        <div class="form-group">
          <input required type="tel" name="field[]" class="form-control input-lg" placeholder="Fax">
        </div>
      </div>
    </div>
    <div class="row">
      <div class="col-xs-12 col-sm-12 col-md-12">
        <div class="form-group">
          <textarea class="form-control input-lg" rows="4" name="field[]" required
            placeholder="Your message"></textarea>
        </div>
      </div>
    </div>
    <div class="row">
      <div class="col-xs-12">
        <button type="submit" class="btn btn-primary btn-lg pull-right">Send Message
      </div>
    </div>
  </form>

```

How to add more fields to form ?

Just add another form-group section,
for example additional phone and fax :

```

<div class="form-group">
  <label>Your Phone</label>
  <input type="text" class="form-control" name="field_[]" placeholder="enter your phone">
</div>
<div class="form-group">
  <label>Your Fax</label>
  <input type="text" class="form-control" name="field_[]" placeholder="enter your fax">
</div>

```

Options (can be changed in HTML) :

- **Mail Subject** - just change value in : <input type="hidden" name="msg_subject" value="Contact Form">
- **Success Message** - change successMessage div content
- **Error Message** - change errorMessage div content

Sources & Credits

The following sources and files have been used to build up this theme

- Twitter Bootstrap - <http://twitter.github.com/bootstrap/>
- jQuery - <http://www.jquery.com>

Once again, thank you so much for purchasing this theme. If you have any questions, feel free to email me via my user page [contact form](#).

Copyright YourName 2014 made with the [Documenter v2.0](#)