

Scrolla

Responsive HTML5/CSS3 Template

Created: 11/5/2013

latest Update: 11/5/2013

By: createIT

<http://themeforest.net/user/createit-pl/portfolio> (<http://themeforest.net/user/createit-pl/portfolio>)

Email: support@createit.pl (<mailto:support@createit.pl>)

Thank you for purchasing this theme. If you have any questions that are beyond the scope of this help file, please feel free to email via the user page contact form on this page.

<http://themeforest.net/user/createit-pl> (<http://themeforest.net/user/createit-pl>) Thanks so much!

Table of Contents

[Start](#)

[HTML Structure](#)

[HTML Structure](#)

[Java Script](#)

This theme is built upon bootstrap framework and is fully responsive. It adapts to window resolution and looks good on all devices including ipad and iphone.

See for yourself (resize your browser).

[PSD Files](#)

[Contact](#)

[Sources & Credits](#) If you would like to read more about bootstrap framework click here :

[Bootstrap Documentation](http://getbootstrap.com/css/)
[\(http://getbootstrap.com/css/\)](http://getbootstrap.com/css/)

Main Menu structure

Main menu is fix to the top of the viewport and include support for a site logo and menu. Bootstrap implements responsive menu - for example: on ipad and iphone it will be shown after click (resize your browser and see yourself).

```
1      <!-- main menu -->
2      <div class="full-width container">
3
4          <div class="navbar navbar-static-top" role="navigation">
5
6              <div class="navbar-header">
7                  <button type="button" class="navbar-toggle" data-toggle="collapse" data-target
8                      <span class="sr-only">Toggle navigation</span>
9                      <span class="icon-bar"></span>
10                     <span class="icon-bar"></span>
11                     <span class="icon-bar"></span>
12                 </button>
13                 <div class="plus-circle"><p>+</p></div>
14                 <a class="navbar-brand" href="#">scrolla</a>
15             </div>
16             <div class="collapse navbar-collapse">
17                 <ul class="nav pull-right navbar-nav" id="nav">
18                     <li class="active"><a href
19                     <li><a href="#">THE TEAM</
20                     <li><a href="#">SERVICES</
21                     <li><a href="#">CLIENTS</a>
22                     <li><a href="#">BLOG</a></
23                     <li><a href="#">CONTACT</a>
24                 </ul>
25             </div>
26             <!--/.nav-collapse -->
27         </div>
28     </div>
29
30 <!-- / main menu -->
```

Copyright createIT
made with the [Documenter v1.6](http://rxa.li/documenter)
(<http://rxa.li/documenter>)

By editing data attributes you can adjust menu elements to fit your needs :

- **logo** - data-width="390" data-top="45" (image width, margin top)
- **menu left** - data-pos="135" (margin top)
- **menu right** - data-pos="135" (margin top)

Grid System and Single row structure

The default Bootstrap grid system utilizes 12 columns. It's responsive grid and adapts to viewport. Below 767px viewports, the columns become fluid and stack vertically. The fluid grid system uses percents instead of pixels for column widths. Each row always include 12 columns (for example col-md-8 + col-md-4 = col-md-12).

Bootstrap documentation: [here \(http://getbootstrap.com/css/#grid\)](http://getbootstrap.com/css/#grid)

Basic grid HTML:

```
1 <div class="row">
2   <div class="col-md-1">.col-md-1</div>
3   <div class="col-md-1">.col-md-1</div>
4   <div class="col-md-1">.col-md-1</div>
5   <div class="col-md-1">.col-md-1</div>
6   <div class="col-md-1">.col-md-1</div>
7   <div class="col-md-1">.col-md-1</div>
8   <div class="col-md-1">.col-md-1</div>
9   <div class="col-md-1">.col-md-1</div>
10  <div class="col-md-1">.col-md-1</div>
11  <div class="col-md-1">.col-md-1</div>
12  <div class="col-md-1">.col-md-1</div>
13  <div class="col-md-1">.col-md-1</div>
14 </div>
15 <div class="row">
16   <div class="col-md-8">.col-md-8</div>
17   <div class="col-md-4">.col-md-4</div>
18 </div>
19 <div class="row">
20   <div class="col-md-4">.col-md-4</div>
21   <div class="col-md-4">.col-md-4</div>
22   <div class="col-md-4">.col-md-4</div>
23 </div>
24 <div class="row">
25   <div class="col-md-6">.col-md-6</div>
26   <div class="col-md-6">.col-md-6</div>
27 </div>
```

Page structure

Below you will find default page structure :

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   [meta_tags]
5   [css]
6 </head>
7 <body>
8
9   <div class="navbar navbar-fixed-top">
10    <div class="navbar-inner">
11      <div class="container">
12        <div class="header-area pull-left">
13          [logo]
14        </div>
15
16        <div class="nav-collapse">
17          <ul class="nav pull-right" id="nav">
18            [main_menu]
19          </ul>
20        </div>
21      </div>
22    </div>
23  </div>
24
25  <!-- full width slider -->
26
27  <div class="full-width flexslider">
28    <ul class="slides">
29      <li>
30        [slide_1]
31      </li>
32      <li>
```

```

33     [slide_2]
34   </li>
35 </ul>
36 </div>
37
38   <!-- container -->
39
40
41   <div class="container" id="portfolio">
42     [section_content]
43   </div>
44
45   <!-- full width slider -->
46
47   <div class="full-width flexslider">
48     <ul class="slides">
49       <li>
50         [slide_1]
51       </li>
52       <li>
53         [slide_2]
54       </li>
55     </ul>
56   </div>
57
58   <!-- container -->
59
60   <div class="container" id="services">
61     [section_content]
62   </div>
63 </div>
64 <div class="container">
65
66   <!-- / fullwidth element -->
67
68   <div class="container" id="clients">
69     [section_content]
70   </div>
71
72   <!-- container -->
73
74   <div class="container" id="blog">
75     [section_content]
76   </div>
77 </div>
78
79   <!-- / fullwidth element -->
80
81   <div class="container" id="contact">
82     [section_content]
83   </div>
84   <div id="footer">
85     [copyright][socials]
86   </div>
87 </div>
88
89   <!-- /container -->
90
91 </div>
92
93 [javascripts]
94 </body>
95 </html>

```

Full width elements

Page content is wrapped in divs with class container (<!-- container -->). It limited page to 1100px width.

When we want to paste fullwidth element, for example : fullwidth slider or fullwidth google map it is required to close main container and immediately after open new one.

For example :

```

1   <!-- fullwidth element -->
2   <!-- full width slider -->
3   <div class="full-width flexslider">
4     <ul class="slides">

```

```

5         <li>
6             [slide 1]
7         </li>
8         <li>
9             [slide 2]
10        </li>
11    </ul>
12 </div>
13
14 <!-- / full width slider -->
15 <!-- / fullwidth element -->

```

One pager structure

As one-pager template includes several chapters.

Each chapter corresponds with each menu item.

For example : we have 6 menu elements :

- #portfolio
- #theteam
- #services
- #clients
- #blog
- #contact

```

1 <ul class="nav pull-right navbar-nav" id="nav">
2     <li class="active"><a href="#">PORTFOLI
3 </li><a href="#">THE TEAM</li>
4 <li><a href="#">SERVICES</li>
5 <li><a href="#">CLIENTS</li>
6 <li><a href="#">BLOG</li>
7 <li><a href="#">CONTACT</li>
8 </ul>

```

So, there are 6 containers with proper id :

```

1 <div class="container" id="portfolio">
2     [chapter content]
3 </div>
4
5 <div class="container" id="theteam">
6     [chapter content]
7 </div>
8
9 <div class="container" id="service">
10    [chapter content]
11 </div>
12
13 <div class="container" id="clients">
14    [chapter content]
15 </div>
16
17 <div class="container" id="blog">
18    [chapter content]
19 </div>
20
21 <div class="container" id="contact">
22    [chapter content]
23 </div>

```

Variants

Theme includes 3 variants.

To activate certain variant just add proper css file.

For example to activate "Green":

```

1 <head>

```

```

2 | (..)
3 | <link rel="stylesheet" type="text/css" href="css/style.css">
4 | <link rel="stylesheet" type="text/css" href="variants/green/css/green.css">
5 | (..)
6 | </head>

```

Main style.css (placed in css/ directory) must be always included.
 Second added .css file will change page design.

Components

Social Icons

You can add socials

- facebook
- twiter
- pinterest

HTML Markup:

```

1 | <ul class="social-arena">
2 |   <a href="#"><div class="border-soc"><i class="icon-facebook"></i></div></a>
3 |   <a href="#"><div class="border-soc"><i class="icon-twitter"></i></div></a>
4 |   <a href="#"><div class="border-soc"><i class="icon-pinterest"></i></div></a>
5 | </ul>

```

Gallery

This is gallery implemented using isotope plugin, with overlay, which shows on mouse hover. After clicking on image it is enlarged and different overlay is shown. There is also Ajax loader to put more items in portfolio.

HTML Markup:

```

1 | <!-- ***** -->
2 | <!-- ** GALLERY ** -->
3 |
4 | <div class="galleryContainer">
5 |   <div id="iContainer" class="clickable clearfix" style=width:1100px>
6 |     <div class="row-fluid">
7 |       <div class="md-col-12">
8 |         <!-- #galleryOptions -->
9 |       </div>
10 |     </div>
11 |     <!-- / row-fluid -->
12 |
13 |
14 |     <!-- ***** -->
15 |     <!-- *** ITEMS START *** -->
16 |
17 |
18 |     <!-- first gallery item -->
19 |     <div class="item aplication webdesign motiondesign">
20 |       <div class="minimise" style="background-image: url(img/demo-content/gallery_01.jp
21 |         <div class="galOverlay">
22 |           <div class="galTitle">
23 |             <p class="bigger">Self<br>promotion<br></p>
24 |
25 |             <p>{application}{branding}</p><br>
26 |
27 |
28 |           <div class="border-soc"><i class="icon-search"></i></div>
29 |         </div>

```

```

30     </div>
31 </div>
32
33 <div class="maximise" style="background-image: url(img/demo-content/gallery_big01
34 <div class="galOverlayBig">
35     <div class="galTitle">
36         <div class="close">x</div>
37         <p class="title">Self<br>promotion<br></p>
38
39         <p class="subtitle">{application}{branding}</p><br>
40
41         <p class="smaller">
42             A little about myself.I grew up with my mom taking me to a We create
43             products.
44             Our websites, applications, mobile applications guarantee best qualit
45             mobile
46             applications guarantee best quality.</p>
47
48         <div class="social-arena"><a href="#" class="selected">VISIT PAGE</a>
49
50             <div class="border-soc"><i class="icon-facebook"></i></div>
51             <div class="border-soc"><i class="icon-twitter"></i></div>
52             <div class="border-soc"><i class="icon-pinterest"></i></div>
53         </div>
54     </div>
55 </div>
56 </div>
57 </div>
58 <!-- first item ends -->
59 <!-- next gallery item -->
60 <div class="item webdesign motiondesign">
61     [content]
62 </div>
63 <!-- next gallery item -->
64 <div class="item aplication motiondesign">
65     [content]
66
67 </div>
68 <!-- / galleryItem -->
69 </div>
70 </div>

```

Circle Box

This is box to present team description.

```

1 <div class="bigCircle">
2 <p class="big"></p>
3 <p class="mediumText"></p>
4 [twitter]
5 <p class="smallText"></p>
6 <div class="social-arena">FOLLOW ME ON:<br>
7 [socials]
8 </div>
9 </div>

```

Buttons

We prepare 3 type of buttons. Example HTML markup:

```

1 <button type="button" class="btn-light">LOAD MORE</button>
2 <input type="submit" value="SEND">
3 <a href="#filter=*" class="selected">ALL PROJECTS</a>

```

Hexagon boxes

This is box to present recommended services.

```
1 <div class="hex-row">
2
3   <div class="hexagon motive">
4
5     <p>DESIGN</p>
6
7     <div class="diagonal">
8       </div>
9   </div>
10  <div class="hexagon">
11
12    <p>DEVELOPE</p>
13
14    <div class="diagonal">
15      </div>
16  </div>
17  <div class="hexagon">
18
19    <p>OPTIMIZE</p>
20
21    <div class="diagonal">
22      </div>
23  </div>
24  <div class="hex-row dn">
25    <br>
26
27    <div class="hexagon">
28
29      <p>SUPPORT</p>
30
31      <div class="diagonal">
32        </div>
33    </div>
34    <div class="hexagon motive">
35      <p class="hex-text">HOST</p>
36
37      <div class="diagonal"></div>
38      <br>
39      <span class="smaller">
40        We create successful digital products!
41        Our websites <br>designs guarantee the<br> best quality.</span>
42    </div>
43  </div>
44 </div>
```

Tabs

This is box to present previous customers' description.

```
1 <ul class="nav nav-tabs nav-justified">
2   <li class="active"><a href="#home" data-toggle="tab">
3     <div class="simpleFrame">
4       
6   </a></li>
7   <li><a href="#profile" data-toggle="tab">
8     <div class="simpleFrame">
9       
11  </a></li>
12  <li><a href="#messages" data-toggle="tab">
13    <div class="simpleFrame">
14      
16  </a></li>
17  <li><a href="#settings" data-toggle="tab">
18    <div class="simpleFrame">
19      
21  </a></li>
22 </ul>
```



```

23
24 <!-- Tab panes -->
25 <div class="tab-content">
26   <div class="tab-pane active" id="home">
27     <div class="blockquote">
28
29       <blockquote>
30         <i class="icon-quote-left pull-left"></i><br><br>
31
32         [content 1]
33       </blockquote>
34     </div>
35   </div>
36   <div class="tab-pane" id="profile">
37     <div class="blockquote">
38
39       <blockquote>
40         <i class="icon-quote-left pull-left"></i><br><br>
41
42         [content 2]
43       </blockquote>
44     </div>
45
46   </div>
47   <div class="tab-pane" id="messages">
48     <div class="blockquote">
49
50       <blockquote>
51         <i class="icon-quote-left pull-left"></i><br><br>
52
53         [content 3]
54       </blockquote>
55     </div>
56
57   </div>
58   <div class="tab-pane" id="settings">
59     <div class="blockquote">
60
61       <blockquote>
62         <i class="icon-quote-left pull-left"></i><br><br>
63
64         [content 4]
65       </blockquote>
66     </div>
67   </div>
68 </div>
69
70
71 </div>

```

CSS Files & Structure

We've included style.css file, which contains default styles. To enable each variant you have to add second css file (more details [here](#))

1. Bootstrap CSS Framework v.3
2. Font Face
3. General Styles
 - typography
 - navigation
 - flexslider
 - clients
 - the team

- buttons
- isotope
- gallery
- services hex row
- parralax
- blockquote
- blog
- contact form
- footer
- blog comments
- clients tabs
- media queries, adjustments
 - @media (min-width: 767px) and (max-width: 990px) {}
 - @media (max-width: 767px) {}
 - @media (max-width: 480px) {}

If you want to modify or add new styles please find this lines in **style.css** :

```

1  /* ***** */
2  /*  GENERAL  STYLES  */
3  /* ***** */
4  /*  START  EDIT  HERE  */

```

Below you can add your code.

Main /css/style.css includes "red" styles

Each **VARIANT** style (for example variants/green/css/green.css) overwrite "main styles" with his own.

Javascript

All javascripts are placed in folder /js. In main.js file we implement all functions calls.

This theme uses following Javascript files:

1. Bootstrap v 3 framework (powerful front-end framework for faster and easier web development)
2. jQuery v1.10.2 (A fast javascript library that Foodtruckifies how to traverse HTML documents, handle events, perform animations.)
3. FlexSlider 2
4. GMAP3 Plugin for JQuery v. 5.1.1

Google Map (GMAP3 Plugin)

This is google map with custom marker, you can define couple parameters:

- **data-location** - address to show
- **data-text** - text in bubble overlay
- **data-height** - map height (if undefined height will be 220px)
- **data-offset** - by how many map should be repositioned from marker center point (default -30)

It uses gmap3 plugin.

Documentation: [here \(http://qmap3.net/\)](http://qmap3.net/)

HTML Markup:

```
1 | <div class="googleMap" data-location="Junipers Blvd. 380 Queens, NY 11379, USA" data-text ?:
```

All javascript code can be found in js/main.js file:

```
1 | function initmap() {
2 |
3 |     jQuery(".googleMap").each(function () {
4 |         var atcenter = "";
5 |         var $this = jQuery(this);
6 |         var location = $this.data("location");
7 |         var text = $this.data("text");
8 |
9 |         var offset = -30;
10 |
11 |         if (validateDataAttr($this.data("offset"))) {
12 |             offset = $this.data("offset");
13 |         }
14 |
15 |         if (validateDataAttr(location)) {
16 |             (..)
17 |         }

```

Full-width (flexslider)

It is fullwidth slider of any content. We use flexslider plugin. Just paste your content into li tags.

Documentation: <http://www.woothemes.com/flexslider/> (<http://www.woothemes.com/flexslider/>)

HTML Markup:

```
1 |     div class="full-width flexslider">
2 |         <ul class="slides">
3 |             <li>
4 |                 <div class="slider" style="background-image: url(img/content/SecondSlider.jpg)
5 |                     <div class="container">
6 |                         [any content]
7 |                     </div>
8 |                 </div>
9 |             </li>
10 |             <li>
11 |                 <div class="slider" style="background-image: url(img/content/SecondSlider.jpg)
12 |                     <div class="container">
13 |                         [any content]
14 |                     </div>
15 |                 </div>
16 |             </li>
17 |         </ul>
18 |     </div>
19 |
20 |
21 | <!-- / full width slider -->

```

And js initialization (js/main.js file),

there you can change slider parameters :

```
1 | jQuery(window).load(function () {
2 |
3 |     // flexfull slider init
4 |     jQuery('.flexslider.flexFull').flexslider({
5 |         animation: "slide", //String: Select your animation type, "fade" or "sl
6 |         easing: "easeInOutExpo", // {NEW} String: Determines the easing method
7 |         // easing types :
8 |         // swing, easeInQuad, easeOutQuad, easeInOutQuad, easeInCubic, easeOutCubic,

```

```

9 // easeInOutCubic, easeInQuart, easeOutQuart, easeInOutQuart, easeInQuint,
10 // easeOutQuint, easeInOutQuint, easeInSine, easeOutSine, easeInOutSine,
11 // easeInExpo, easeOutExpo, easeInOutExpo, easeInCirc, easeOutCirc,
12 // easeInOutCirc, easeInElastic, easeOutElastic, easeInOutElastic, easeInBack,
13 // easeOutBack, easeInOutBack, easeInBounce, easeOutBounce, easeInOutBounce
14 direction: "horizontal", //String: Select the sliding direction, "horizontal"
15 reverse: false, //Boolean: Reverse the animation direction
16 animationLoop: true, //Boolean: Should the animation loop? If false, dir
17 smoothHeight: false, //Boolean: Allow height of the slider to anima
18 startAt: 0, //Integer: The slide that the slider should start on
19 slideshow: false, //Boolean: Animate slider automatically
20 slideshowSpeed: 7000, //Integer: Set the speed of the slideshow cycling, i
21 animationSpeed: 1100, //Integer: Set the speed of animations, in millise
22 initDelay: 0, //Boolean: Set an initialization delay, in mil
23 randomize: false, //Boolean: Randomize slide order
24
25 // Primary Controls
26 controlNav: false, //Boolean: Create navigation for paging control of
27 directionNav: true, //Boolean: Create navigation for previous/next navig
28 prevText: "Previous", //String: Set the text for the "previous" directionN
29 nextText: "Next", //String: Set the text for the "next" directionNav i
30
31 // Usability features
32 pauseOnAction: true, //Boolean: Pause the slideshow when interacting with
33 pauseOnHover: true, //Boolean: Pause the slideshow when hovering over sli
34 touch: true, //Boolean: Allow touch swipe navigation of the
35 video: true, //Boolean: If using video in the slider, will p
36 useCSS: true, //Boolean: Slider will use CSS3 transitions if
37
38 // Secondary Navigation
39 keyboard: true, //Boolean: Allow slider navigating via keyboard left
40 multipleKeyboard: false, //Boolean: Allow keyboard navigation to affect
41 mousewheel: false, //Boolean: Requires jquery.mousewheel.js (
42 pausePlay: false, //Boolean: Create pause/play dynamic element
43 pauseText: 'Pause', //String: Set the text for the "pause" pausePlay ite
44 playText: 'Play', //String: Set the text for the "play" pausePlay item
45
46 // Callback API
47 start: function () {
48     jQuery(".flexslider.flexFull").removeClass("loading-slider");
49 },
50 before: function () {
51 }, //Callback: function(slider) - Fires asynchronously with each slider an
52 after: function () {
53 }, //Callback: function(slider) - Fires after each slider animation compl
54 end: function () {
55 }, //Callback: function(slider) - Fires when the slider reaches the las
56 added: function () {
57 }, //Boolean: Callback: function(slider) - Fires after a slide is added
58 removed: function () {
59 }, //Boolean: Callback: function(slider) - Fires after a slide is removed
60 });
61 })

```

Typography

We use google font service to include fonts or font face sets.

Credits:

[Bitter Font \(http://fonts.googleapis.com/css?family=Bitter:400,400italic,700&subset=latin,latin-ext\)](http://fonts.googleapis.com/css?family=Bitter:400,400italic,700&subset=latin,latin-ext)

[Open Sans Font \(http://fonts.googleapis.com/css?](http://fonts.googleapis.com/css?)

[family=Open+Sans:400,300,300italic,400italic,600,600italic,700,700italic,800,800italic&subset=latin,cyrillic-ext,latin-ext,greek-ext,vietnamese\)](http://fonts.googleapis.com/css?family=Open+Sans:400,300,300italic,400italic,600,600italic,700,700italic,800,800italic&subset=latin,cyrillic-ext,latin-ext,greek-ext,vietnamese)

PSD Files

There are 3 PSD files included in the project.

- Scrolla_Singlepage_Red.psd
- Scrolla_Singlepage_Blue.psd
- Scrolla_Singlepage_Green.psd

Each PSD file is of course layered, layers are grouped into directories. If you'd like to change anything in the page layout, please put jpg/png image in HTML/img directory.

Contact Form

Template comes with ready to use:

- Contact Form
- Newsletter Form

All needed files are in /form directory.

Remember to include `<script src="form/js/form.js"></script>` on page.

To **configure** form just edit form/form.php and change e-mails to your own :

```
1 | $to = "mail@example.com";  
2 | $from = "mail@example.com";
```

That's it!

Contact Form

HTML Markup:

```
1 | <form class="simpleForm" action="form/form.php" method="post">  
2 |   <div class="contact-form animated" data-fx="fadeInUp">  
3 |     <div class="contactForm">  
4 |       <div class="row">  
5 |         <div class="successMessage alert alert-success" style="display: none">  
6 |           <button type="button" class="close" data-dismiss="alert" aria-hidden="true">  
7 |             Thank You! We will contact you shortly.  
8 |         </div>  
9 |         <div class="errorMessage alert alert-error" style="display: none">  
10 |           <button type="button" class="close" data-dismiss="alert" aria-hidden="true">  
11 |             Ups! An error occurred. Please try again later.  
12 |         </div>  
13 |       </div>  
14 |     <form role="form" action="form/send.php" method="post" class="contactForm validateForm" data-email-subject="Contact Form" data-show-errors="true">  
15 |       <div class="row">  
16 |         <div class="col-md-6 col-sm-6">  
17 |           <div class="form-group">  
18 |             <input required type="text" name="field[Name]" class="form-control" placeholder="NAME">  
19 |           </div>  
20 |         </div>  
21 |       </div>  
22 |     </form>  
23 |   </div>  
24 | </form>
```

```

22     </div>
23     <div class="form-group">
24         <input required type="email" name="field[]" class="form-control"
25             placeholder="EMAIL">
26     </div>
27     <div class="form-group">
28         <input required type="tel" name="field[]" class="form-control"
29             placeholder="SUBJECT">
30     </div>
31 </div>
32 <div class="col-md-6 col-sm-6">
33     <div class="form-group">
34         <input required type="text" name="field[]" class="form-control"
35             placeholder="MESSAGE">
36     </div>
37     <div class="form-group">
38         <input required type="text" name="field[]" class="form-control"
39             placeholder="">
40     </div>
41     <div class="form-group">
42         <input required type="text" name="field[]" class="form-control"
43             placeholder="">
44     </div>
45
46     <div class="contact-border" ><i class="icon-share"></i><input type="text"
47         name="field[]" class="form-control" placeholder="">
48     </div>
49 </div>
50 </form>
51 </div>
52
53 </div>

```

How to add more fields to form ?

Just add another form-group section,
for example additional phone and fax :

```

1  <div class="form-group">
2      <label>Your Phone</label>
3      <input type="text" class="form-control" name="field_[]" placeholder="enter your phone">
4  </div>
5  <div class="form-group">
6      <label>Your Fax</label>
7      <input type="text" class="form-control" name="field_[]" placeholder="enter your fax">
8  </div>

```

Sources & Credits

The following sources and files have been used to build up this theme

- Twitter Bootstrap - <http://twitter.github.com/bootstrap/> (<http://getbootstrap.com/>)
- jQuery - <http://www.jquery.com> (<http://www.jquery.com>)

Once again, thank you so much for purchasing this theme. If you have any questions, feel free to email me via my user page [contact form \(http://themeforest.net/user/createit-pl\)](http://themeforest.net/user/createit-pl).

